

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
 Data File : HL002673.D
 Signal(s) : VWD1A.CH
 Acq On : 06-Apr-2012, 11:20
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 02:02:22 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 06 10:11:44 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.452	4144446	1088.165 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 362.72%#
Target Compounds			
2) T HMX	0.969	4360857	994.628 ug/L
3) T RDX	1.869	6038477	1106.996 ug/L
4) T 1,3,5-Trinitrobenzene	2.915	6443207	506.161 ug/L
5) T Tetryl	6.668	8997410	994.226 ug/L
6) T 2,4,6-Trinitrotoluene	7.034	6361248	534.766 ug/L
7) T 2-Amino-4,6-dinitroto...	7.575	5960621	531.446 ug/L
8) T 4-Amino-2,6-dinitroto...	7.934	3967495	514.302 ug/L
9) T 2,4-Dinitrotoluene	8.809	8438713	497.209 ug/L
10) T 2,6-Dinitrotoluene	9.220	4592364	518.035 ug/L
11) T 1,3-Dinitrobenzene	3.870	9104722	506.828 ug/L
12) T Nitrobenzene	5.201	5598745	531.310 ug/L
13) T 2-Nitrotoluene	12.716	7243254	1040.017 ug/L
14) T 3-Nitrotoluene	14.899	7779266	1088.071 ug/L
15) T 4-Nitrotoluene	13.527	6123789	1062.858 ug/L
16) T 3,5-Dinitroaniline	4.243	18135647	1079.763 ug/L
18) T PETN	20.190	24651878	2489.541 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
Data File : HL002673.D
Signal(s) : VWD1A.CH
Acq On : 06-Apr-2012, 11:20
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 02:02:22 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 06 10:11:44 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

