

Data File : H:\VOL1\HPLC\HPLC L\120405\HL002621.D Vial: 2
 Acq On : 05-Apr-2012, 11:57 Operator: HLM
 Sample : 8330-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Fri Apr 06 14:31:32 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	4.095 E3	-7.5	106	0.00
2 T	HMX	4.384	4.280 E3	2.4	106	0.00
3 T	RDX	5.455	5.986 E3	-9.7	108	0.00
4 T	1,3,5-Trinitrobenzene	12.730	12.807 E3	-0.6	108	0.00
5 T	Tetryl	9.050	9.089 E3	-0.4	105	0.00
6 T	2,4,6-Trinitrotoluene	11.895	12.492 E3	-5.0	110	0.00
7 T	2-Amino-4,6-dinitrotoluene	11.216	11.881 E3	-5.9	107	0.00
8 T	4-Amino-2,6-dinitrotoluene	7.714	7.866 E3	-2.0	109	0.00
9 T	2,4-Dinitrotoluene	16.972	16.797 E3	1.0	107	0.00
10 T	2,6-Dinitrotoluene	8.865	9.031 E3	-1.9	108	0.00
11 T	1,3-Dinitrobenzene	17.964	18.147 E3	-1.0	108	0.00
12 T	Nitrobenzene	10.538	11.568 E3	-9.8	109	0.00
13 T	2-Nitrotoluene	6.965	7.152 E3	-2.7	107	0.00
14 T	3-Nitrotoluene	7.150	7.615 E3	-6.5	106	0.00
15 T	4-Nitrotoluene	5.762	5.999 E3	-4.1	107	0.00
16 T	3,5-Dinitroaniline	16.796	18.075 E3	-7.6	108	0.00
18 T	PETN	9.902	9.695 E3	2.1	109	0.00

Data File : H:\VOL1\HPLC\HPLC L\120405\HL002621.D Vial: 2
Acq On : 05-Apr-2012, 11:57 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Fri Apr 06 14:31:32 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.100	0.000	100.0#	0#	-6.56#