

Data File : H:\VOL1\HPLC\HPLC L\120405\HL002647.D Vial: 2
 Acq On : 05-Apr-2012, 23:39 Operator: HLM
 Sample : 8330-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	4.128 E3	-8.4	106	-0.01
2 T	HMX	4.384	4.329 E3	1.3	107	-0.01
3 T	RDX	5.455	6.034 E3	-10.6	109	-0.02
4 T	1,3,5-Trinitrobenzene	12.730	12.857 E3	-1.0	108	-0.02
5 T	Tetryl	9.050	8.985 E3	0.7	104	-0.04
6 T	2,4,6-Trinitrotoluene	11.895	12.595 E3	-5.9	111	-0.05
7 T	2-Amino-4,6-dinitrotoluene	11.216	11.847 E3	-5.6	106	-0.05
8 T	4-Amino-2,6-dinitrotoluene	7.714	7.832 E3	-1.5	109	-0.05
9 T	2,4-Dinitrotoluene	16.972	16.749 E3	1.3	107	-0.06
10 T	2,6-Dinitrotoluene	8.865	9.023 E3	-1.8	108	-0.06
11 T	1,3-Dinitrobenzene	17.964	18.160 E3	-1.1	108	-0.03
12 T	Nitrobenzene	10.538	11.244 E3	-6.7	106	-0.04
13 T	2-Nitrotoluene	6.965	7.161 E3	-2.8	108	-0.08
14 T	3-Nitrotoluene	7.150	7.794 E3	-9.0	108	-0.08
15 T	4-Nitrotoluene	5.762	6.084 E3	-5.6	109	-0.08
16 T	3,5-Dinitroaniline	16.796	18.055 E3	-7.5	108	-0.03
18 T	PETN	9.902	9.803 E3	1.0	110	-0.11

Data File : H:\VOL1\HPLC\HPLC L\120405\HL002647.D Vial: 2
Acq On : 05-Apr-2012, 23:39 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.100	0.000	100.0#	0#	-6.62#