

Data File : H:\VOL1\HPLC\HPLC L\120405\HL002660.D Vial: 2
 Acq On : 06-Apr-2012, 05:30 Operator: HLM
 Sample : 8330-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	4.138 E3	-8.6	107	0.00
2 T	HMX	4.384	4.344 E3	0.9	107	0.00
3 T	RDX	5.455	6.028 E3	-10.5	109	0.00
4 T	1,3,5-Trinitrobenzene	12.730	12.893 E3	-1.3	109	0.00
5 T	Tetryl	9.050	9.017 E3	0.4	104	0.00
6 T	2,4,6-Trinitrotoluene	11.895	12.703 E3	-6.8	112	0.00
7 T	2-Amino-4,6-dinitrotoluene	11.216	11.936 E3	-6.4	107	0.00
8 T	4-Amino-2,6-dinitrotoluene	7.714	7.955 E3	-3.1	111	0.00
9 T	2,4-Dinitrotoluene	16.972	16.894 E3	0.5	108	-0.01
10 T	2,6-Dinitrotoluene	8.865	9.072 E3	-2.3	108	-0.01
11 T	1,3-Dinitrobenzene	17.964	18.255 E3	-1.6	109	0.00
12 T	Nitrobenzene	10.538	11.312 E3	-7.3	107	0.00
13 T	2-Nitrotoluene	6.965	7.206 E3	-3.5	108	-0.01
14 T	3-Nitrotoluene	7.150	7.769 E3	-8.7	108	-0.02
15 T	4-Nitrotoluene	5.762	6.074 E3	-5.4	108	-0.02
16 T	3,5-Dinitroaniline	16.796	18.196 E3	-8.3	109	0.00
18 T	PETN	9.902	9.707 E3	2.0	109	-0.03

Data File : H:\VOL1\HPLC\HPLC L\120405\HL002660.D Vial: 2
Acq On : 06-Apr-2012, 05:30 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.100	0.000	100.0#	0#	-6.57#