

Data File : H:\VOL1\HPLC\HPLC L\120405\HL002673.D Vial: 2
 Acq On : 06-Apr-2012, 11:20 Operator: HLM
 Sample : 8330-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	4.144 E3	-8.8	107	0.00
2 T	HMX	4.384	4.361 E3	0.5	108	0.00
3 T	RDX	5.455	6.038 E3	-10.7	109	0.00
4 T	1,3,5-Trinitrobenzene	12.730	12.886 E3	-1.2	109	0.00
5 T	Tetryl	9.050	8.997 E3	0.6	104	-0.02
6 T	2,4,6-Trinitrotoluene	11.895	12.722 E3	-7.0	112	-0.02
7 T	2-Amino-4,6-dinitrotoluene	11.216	11.921 E3	-6.3	107	-0.02
8 T	4-Amino-2,6-dinitrotoluene	7.714	7.935 E3	-2.9	110	-0.02
9 T	2,4-Dinitrotoluene	16.972	16.877 E3	0.6	108	-0.02
10 T	2,6-Dinitrotoluene	8.865	9.185 E3	-3.6	110	-0.02
11 T	1,3-Dinitrobenzene	17.964	18.209 E3	-1.4	108	-0.01
12 T	Nitrobenzene	10.538	11.197 E3	-6.3	106	-0.01
13 T	2-Nitrotoluene	6.965	7.243 E3	-4.0	109	-0.03
14 T	3-Nitrotoluene	7.150	7.779 E3	-8.8	108	-0.03
15 T	4-Nitrotoluene	5.762	6.124 E3	-6.3	109	-0.04
16 T	3,5-Dinitroaniline	16.796	18.136 E3	-8.0	109	-0.01
18 T	PETN	9.902	9.861 E3	0.4	111	-0.05

Data File : H:\VOL1\HPLC\HPLC L\120405\HL002673.D Vial: 2
Acq On : 06-Apr-2012, 11:20 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.100	0.000	100.0#	0#	-6.57#