

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
 Data File : HL002647.D
 Signal(s) : VWD1A.CH
 Acq On : 05-Apr-2012, 23:39
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 07 02:00:32 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 06 10:08:28 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.456f	4128370	1083.944 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 361.31%#
Target Compounds			
2) T HMX	0.972f	4328920	987.343 ug/L
3) T RDX	1.875f	6034478	1106.263 ug/L
4) T 1,3,5-Trinitrobenzene	2.926f	6428321	504.991 ug/L
5) T Tetryl	6.692f	8984692	992.821 ug/L
6) T 2,4,6-Trinitrotoluene	7.062f	6297638	529.419 ug/L
7) T 2-Amino-4,6-dinitroto...	7.600f	5923712	528.155 ug/L
8) T 4-Amino-2,6-dinitroto...	7.963f	3915765	507.597 ug/L
9) T 2,4-Dinitrotoluene	8.842f	8374389	493.419 ug/L
10) T 2,6-Dinitrotoluene	9.256f	4511364	508.898 ug/L
11) T 1,3-Dinitrobenzene	3.885f	9079793	505.441 ug/L
12) T Nitrobenzene	5.222f	5621851	533.502 ug/L
13) T 2-Nitrotoluene	12.763f	7161472	1028.274 ug/L
14) T 3-Nitrotoluene	14.953f	7794201	1090.160 ug/L
15) T 4-Nitrotoluene	13.580f	6084259	1055.997 ug/L
16) T 3,5-Dinitroaniline	4.258f	18054803	1074.949 ug/L
18) T PETN	20.273f	24508614	2475.073 ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL040512\
Data File : HL002647.D
Signal(s) : VWD1A.CH
Acq On : 05-Apr-2012, 23:39
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 07 02:00:32 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 06 10:08:28 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 1.456 min
Delta R.T.: -0.014 min
Response: 4128370
Conc: 1083.94 ug/L




#2 HMX

R.T.: 0.972 min
Delta R.T.: -0.010 min
Response: 4328920
Conc: 987.34 ug/L




#3 RDX

R.T.: 1.875 min
Delta R.T.: -0.016 min
Response: 6034478
Conc: 1106.26 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.926 min
Delta R.T.: -0.022 min
Response: 6428321
Conc: 504.99 ug/L




#5 Tetryl

R.T.: 6.692 min
Delta R.T.: -0.043 min
Response: 8984692
Conc: 992.82 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 7.062 min
Delta R.T.: -0.047 min
Response: 6297638
Conc: 529.42 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.600 min
Delta R.T.: -0.049 min
Response: 5923712
Conc: 528.16 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.963 min
Delta R.T.: -0.049 min
Response: 3915765
Conc: 507.60 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.842 min
Delta R.T.: -0.057 min
Response: 8374389
Conc: 493.42 ug/L




#10 2,6-Dinitrotoluene

R.T.: 9.256 min
Delta R.T.: -0.058 min
Response: 4511364
Conc: 508.90 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.885 min
Delta R.T.: -0.027 min
Response: 9079793
Conc: 505.44 ug/L




#12 Nitrobenzene

R.T.: 5.222 min
Delta R.T.: -0.036 min
Response: 5621851
Conc: 533.50 ug/L




#13 2-Nitrotoluene

R.T.: 12.763 min
Delta R.T.: -0.078 min
Response: 7161472
Conc: 1028.27 ug/L




#14 3-Nitrotoluene

R.T.: 14.953 min
Delta R.T.: -0.083 min
Response: 7794201
Conc: 1090.16 ug/L




#15 4-Nitrotoluene

R.T.: 13.580 min
Delta R.T.: -0.078 min
Response: 6084259
Conc: 1056.00 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.258 min
Delta R.T.: -0.029 min
Response: 18054803
Conc: 1074.95 ug/L



#18 PETN

R.T.: 20.273 min
Delta R.T.: -0.117 min
Response: 24508614
Conc: 2475.07 ug/L