

Data File : H:\VOL1\HPLC\HPLC L\120411\HL002726.D Vial: 2
 Acq On : 11-Apr-2012, 17:09 Operator: HLM
 Sample : 8330-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	3.920 E3	-2.9	101	0.00
2 T	HMX	4.384	4.066 E3	7.3	100	0.00
3 T	RDX	5.455	5.689 E3	-4.3	103	0.00
4 T	1,3,5-Trinitrobenzene	12.730	12.212 E3	4.1	103	0.00
5 T	Tetryl	9.050	8.941 E3	1.2	103	0.00
6 T	2,4,6-Trinitrotoluene	11.895	11.818 E3	0.6	104	0.00
7 T	2-Amino-4,6-dinitrotoluene	11.216	11.424 E3	-1.9	103	0.00
8 T	4-Amino-2,6-dinitrotoluene	7.714	7.422 E3	3.8	103	0.00
9 T	2,4-Dinitrotoluene	16.972	15.959 E3	6.0	102	0.00
10 T	2,6-Dinitrotoluene	8.865	8.649 E3	2.4	103	0.00
11 T	1,3-Dinitrobenzene	17.964	17.264 E3	3.9	103	0.00
12 T	Nitrobenzene	10.538	11.397 E3	-8.2	108	0.00
13 T	2-Nitrotoluene	6.965	6.874 E3	1.3	103	0.00
14 T	3-Nitrotoluene	7.150	7.382 E3	-3.2	103	0.00
15 T	4-Nitrotoluene	5.762	5.819 E3	-1.0	104	0.00
16 T	3,5-Dinitroaniline	16.796	17.375 E3	-3.4	104	0.00
18 T	PETN	9.902	9.114 E3	8.0	102	0.00

Data File : H:\VOL1\HPLC\HPLC L\120411\HL002726.D Vial: 2
Acq On : 11-Apr-2012, 17:09 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.100	0.000	100.0#	0#	-6.34#