

Data File : H:\VOL1\HPLC\HPLC L\120411\HL002727.D Vial: 3
Acq On : 11-Apr-2012, 17:36 Operator: HLM
Sample : 8330NG-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T Nitroglycerin	57.100	56.898	0.4	0#	0.00

Data File : H:\VOL1\HPLC\HPLC L\120411\HL002727.D
 Acq On : 11-Apr-2012, 17:36
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 3
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Mar 29 15:16:02 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	0.000 E3	100.0#	0#	-1.41#
2 T	HMX	4.384	0.000 E3	100.0#	0#	-0.94#
3 T	RDX	5.455	0.000 E3	100.0#	0#	-1.82#
4 T	1,3,5-Trinitrobenzene	12.730	0.000 E3	100.0#	0#	-2.83#
5 T	Tetryl	9.050	0.000 E3	100.0#	0#	-6.47#
6 T	2,4,6-Trinitrotoluene	11.895	0.000 E3	100.0#	0#	-6.82#
7 T	2-Amino-4,6-dinitrotoluene	11.216	0.000 E3	100.0#	0#	-7.36#
8 T	4-Amino-2,6-dinitrotoluene	7.714	0.000 E3	100.0#	0#	-7.71#
9 T	2,4-Dinitrotoluene	16.972	0.000 E3	100.0#	0#	-8.55#
10 T	2,6-Dinitrotoluene	8.865	0.000 E3	100.0#	0#	-8.94#
11 T	1,3-Dinitrobenzene	17.964	0.000 E3	100.0#	0#	-3.76#
12 T	Nitrobenzene	10.538	0.000 E3	100.0#	0#	-5.05#
13 T	2-Nitrotoluene	6.965	0.000 E3	100.0#	0#	-12.34#
14 T	3-Nitrotoluene	7.150	0.000 E3	100.0#	0#	-14.45#
15 T	4-Nitrotoluene	5.762	0.000 E3	100.0#	0#	-13.12#
16 T	3,5-Dinitroaniline	16.796	0.000 E3	100.0#	0#	-4.12#
18 T	PETN	9.902	0.000 E3	100.0#	0#	-19.58#