

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041212\
 Data File : HL002749.D
 Signal(s) : VWD1A.CH
 Acq On : 12-Apr-2012, 13:41
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 16 06:47:30 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 13 11:07:55 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.394	3957570	1039.099 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 346.37%#
Target Compounds			
2) T HMX	0.935	4107184	936.770 ug/L
3) T RDX	1.794	5781235	1059.838 ug/L
4) T 1,3,5-Trinitrobenzene	2.787	6159667	483.887 ug/L
5) T Tetryl	6.309	8938333	987.698 ug/L
6) T 2,4,6-Trinitrotoluene	6.674	6025972	506.581 ug/L
7) T 2-Amino-4,6-dinitroto...	7.190	5803748	517.459 ug/L
8) T 4-Amino-2,6-dinitroto...	7.515	3750303	486.148 ug/L
9) T 2,4-Dinitrotoluene	8.355	8082131	476.199 ug/L
10) T 2,6-Dinitrotoluene	8.737	4375389	493.560 ug/L
11) T 1,3-Dinitrobenzene	3.696	8676540	482.993 ug/L
12) T Nitrobenzene	4.962	5739265	544.645 ug/L
13) T 2-Nitrotoluene	12.045	7016610	1007.474 ug/L
14) T 3-Nitrotoluene	14.104	7548292	1055.765 ug/L
15) T 4-Nitrotoluene	12.812	5932827	1029.714 ug/L
16) T 3,5-Dinitroaniline	4.050	17577853	1046.553 ug/L
18) T PETN	19.067	22496492	2271.873 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041212\
Data File : HL002749.D
Signal(s) : VWD1A.CH
Acq On : 12-Apr-2012, 13:41
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 16 06:47:30 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 13 11:07:55 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

