

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041212\
 Data File : HL002755.D
 Signal(s) : VWD1A.CH
 Acq On : 12-Apr-2012, 16:22
 Operator : HLM
 Sample : D2099-01MS1
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 16 06:48:11 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 13 11:07:55 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.382	741724	194.747 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 64.92%
Target Compounds			
2) T HMX	0.933	514420	117.329 ug/L
3) T RDX	1.790	542438	99.442 ug/L
4) T 1,3,5-Trinitrobenzene	2.784	1781472	139.948 ug/L
5) T Tetryl	6.299	1188425	131.323 ug/L
6) T 2,4,6-Trinitrotoluene	6.663	1763953	148.289 ug/L
7) T 2-Amino-4,6-dinitroto...	7.178	1490576	132.899 ug/L
8) T 4-Amino-2,6-dinitroto...	7.511	1051672	136.327 ug/L
9) T 2,4-Dinitrotoluene	8.347	2241262	132.055 ug/L
10) T 2,6-Dinitrotoluene	8.727	1247080	140.675 ug/L
11) T 1,3-Dinitrobenzene	3.692	2485067	138.335 ug/L
12) T Nitrobenzene	4.956	1511541	143.442 ug/L
13) T 2-Nitrotoluene	12.040	992350	142.486 ug/L
14) T 3-Nitrotoluene	14.081	1099003	153.715 ug/L
15) T 4-Nitrotoluene	12.789	841173	145.996 ug/L
16) T 3,5-Dinitroaniline	4.043	2019189	120.219 ug/L
18) T PETN	19.041	1235368	124.757 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041212\
Data File : HL002755.D
Signal(s) : VWD1A.CH
Acq On : 12-Apr-2012, 16:22
Operator : HLM
Sample : D2099-01MS1
Misc :
ALS Vial : 15 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 16 06:48:11 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 13 11:07:55 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

