

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041212\
 Data File : HL002757.D
 Signal(s) : VWD1A.CH
 Acq On : 12-Apr-2012, 17:16
 Operator : HLM
 Sample : D2099-01MSD1
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 16 06:48:28 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 13 11:07:55 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.378f	753117	197.738 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery =	65.91%
Target Compounds			
2) T HMX	0.933	528973	120.648 ug/L
3) T RDX	1.788	563826	103.363 ug/L
4) T 1,3,5-Trinitrobenzene	2.779	1834208	144.090 ug/L
5) T Tetryl	6.290	1248571	137.969 ug/L
6) T 2,4,6-Trinitrotoluene	6.652	1903306	160.004 ug/L
7) T 2-Amino-4,6-dinitroto...	7.164	1633497	145.642 ug/L
8) T 4-Amino-2,6-dinitroto...	7.499	1121228	145.344 ug/L
9) T 2,4-Dinitrotoluene	8.334	2341347	137.952 ug/L
10) T 2,6-Dinitrotoluene	8.710	1268900	143.137 ug/L
11) T 1,3-Dinitrobenzene	3.686	2578902	143.559 ug/L
12) T Nitrobenzene	4.948	1645137	156.120 ug/L
13) T 2-Nitrotoluene	12.015	1017044	146.031 ug/L
14) T 3-Nitrotoluene	14.058	1077674	150.732 ug/L
15) T 4-Nitrotoluene	12.780	857053	148.752 ug/L
16) T 3,5-Dinitroaniline	4.036	2080476	123.868 ug/L
18) T PETN	19.000	1379863	139.349 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041212\
Data File : HL002757.D
Signal(s) : VWD1A.CH
Acq On : 12-Apr-2012, 17:16
Operator : HLM
Sample : D2099-01MSD1
Misc :
ALS Vial : 17 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 16 06:48:28 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 13 11:07:55 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

