

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041212\
 Data File : HL002760.D
 Signal(s) : VWD1A.CH
 Acq On : 12-Apr-2012, 18:37
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 16 06:49:06 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 13 11:07:55 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.389	3944773	1035.739 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 345.25%#
Target Compounds			
2) T HMX	0.932	4124912	940.813 ug/L
3) T RDX	1.789	5768709	1057.541 ug/L
4) T 1,3,5-Trinitrobenzene	2.779	6153076	483.369 ug/L
5) T Tetryl	6.288	8853858	978.364 ug/L
6) T 2,4,6-Trinitrotoluene	6.653	6015882	505.732 ug/L
7) T 2-Amino-4,6-dinitroto...	7.166	5787895	516.046 ug/L
8) T 4-Amino-2,6-dinitroto...	7.490	3740717	484.905 ug/L
9) T 2,4-Dinitrotoluene	8.329	8067154	475.317 ug/L
10) T 2,6-Dinitrotoluene	8.708	4326829	488.082 ug/L
11) T 1,3-Dinitrobenzene	3.685	8690159	483.751 ug/L
12) T Nitrobenzene	4.946	5626897	533.981 ug/L
13) T 2-Nitrotoluene	12.006	6941062	996.627 ug/L
14) T 3-Nitrotoluene	14.062	7495656	1048.403 ug/L
15) T 4-Nitrotoluene	12.770	5895718	1023.274 ug/L
16) T 3,5-Dinitroaniline	4.037	17584991	1046.978 ug/L
18) T PETN	18.996	23404413	2363.562 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041212\
Data File : HL002760.D
Signal(s) : VWD1A.CH
Acq On : 12-Apr-2012, 18:37
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 16 06:49:06 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 13 11:07:55 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

