

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041212\
 Data File : HL002767.D
 Signal(s) : VWD1A.CH
 Acq On : 12-Apr-2012, 21:45
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 16 06:49:54 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 13 11:07:55 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.388	3943073	1035.293 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 345.10%#
Target Compounds			
2) T HMX	0.932	4131417	942.297 ug/L
3) T RDX	1.787	5775887	1058.857 ug/L
4) T 1,3,5-Trinitrobenzene	2.777	6186646	486.006 ug/L
5) T Tetryl	6.285	8855257	978.518 ug/L
6) T 2,4,6-Trinitrotoluene	6.650	6046915	508.341 ug/L
7) T 2-Amino-4,6-dinitroto...	7.161	5754969	513.110 ug/L
8) T 4-Amino-2,6-dinitroto...	7.485	3770589	488.778 ug/L
9) T 2,4-Dinitrotoluene	8.326	8078653	475.994 ug/L
10) T 2,6-Dinitrotoluene	8.702	4350083	490.705 ug/L
11) T 1,3-Dinitrobenzene	3.684	8709695	484.839 ug/L
12) T Nitrobenzene	4.945	5609505	532.331 ug/L
13) T 2-Nitrotoluene	11.999	6937079	996.055 ug/L
14) T 3-Nitrotoluene	14.052	7515928	1051.238 ug/L
15) T 4-Nitrotoluene	12.762	5884588	1021.342 ug/L
16) T 3,5-Dinitroaniline	4.035	17552385	1045.036 ug/L
18) T PETN	18.984	23480289	2371.224 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041212\
Data File : HL002767.D
Signal(s) : VWD1A.CH
Acq On : 12-Apr-2012, 21:45
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 16 06:49:54 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 13 11:07:55 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

