

Data File : H:\VOL1\HPLC\HPLC L\120412\HL002749.D Vial: 2
Acq On : 12-Apr-2012, 13:41 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.809	3.958 E3	-3.9	102	0.00
2 T	HMX	4.384	4.107 E3	6.3	101	0.00
3 T	RDX	5.455	5.781 E3	-6.0	104	0.00
4 T	1,3,5-Trinitrobenzene	12.730	12.319 E3	3.2	104	0.00
5 T	Tetryl	9.050	8.938 E3	1.2	103	0.00
6 T	2,4,6-Trinitrotoluene	11.895	12.052 E3	-1.3	106	0.00
7 T	2-Amino-4,6-dinitrotoluene	11.216	11.607 E3	-3.5	104	0.00
8 T	4-Amino-2,6-dinitrotoluene	7.714	7.501 E3	2.8	104	0.00
9 T	2,4-Dinitrotoluene	16.972	16.164 E3	4.8	103	0.00
10 T	2,6-Dinitrotoluene	8.865	8.751 E3	1.3	105	0.00
11 T	1,3-Dinitrobenzene	17.964	17.353 E3	3.4	103	0.00
12 T	Nitrobenzene	10.538	11.479 E3	-8.9	109	0.00
13 T	2-Nitrotoluene	6.965	7.017 E3	-0.7	105	0.00
14 T	3-Nitrotoluene	7.150	7.548 E3	-5.6	105	0.00
15 T	4-Nitrotoluene	5.762	5.933 E3	-3.0	106	0.00
16 T	3,5-Dinitroaniline	16.796	17.578 E3	-4.7	105	0.00
18 T	PETN	9.902	8.999 E3	9.1	101	0.00

Data File : H:\VOL1\HPLC\HPLC L\120412\HL002749.D Vial: 2
Acq On : 12-Apr-2012, 13:41 Operator: HLM
Sample : 8330-CCV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL032912.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Mar 29 15:16:02 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.100	0.000	100.0#	0#	-6.24#