

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041312\
 Data File : HL002770.D
 Signal(s) : VWD1A.CH
 Acq On : 13-Apr-2012, 13:00
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 16 07:21:06 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 13 11:07:55 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.420	3978016	1044.467 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 348.16%#
Target Compounds			
2) T HMX	0.952	4230867	964.979 ug/L
3) T RDX	1.829	5942202	1089.347 ug/L
4) T 1,3,5-Trinitrobenzene	2.842	6330372	497.297 ug/L
5) T Tetryl	6.435	9041394	999.087 ug/L
6) T 2,4,6-Trinitrotoluene	6.808	6245343	525.022 ug/L
7) T 2-Amino-4,6-dinitroto...	7.334	5931655	528.863 ug/L
8) T 4-Amino-2,6-dinitroto...	7.666	3899994	505.552 ug/L
9) T 2,4-Dinitrotoluene	8.526	8285858	488.203 ug/L
10) T 2,6-Dinitrotoluene	8.915	4493781	506.915 ug/L
11) T 1,3-Dinitrobenzene	3.770	8910013	495.990 ug/L
12) T Nitrobenzene	5.062	5717633	542.592 ug/L
13) T 2-Nitrotoluene	12.295	7125375	1023.091 ug/L
14) T 3-Nitrotoluene	14.400	7662796	1071.780 ug/L
15) T 4-Nitrotoluene	13.078	6055327	1050.976 ug/L
16) T 3,5-Dinitroaniline	4.131	17901455	1065.819 ug/L
18) T PETN	19.462	24062892	2430.060 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041312\
Data File : HL002770.D
Signal(s) : VWD1A.CH
Acq On : 13-Apr-2012, 13:00
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 16 07:21:06 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 13 11:07:55 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

