

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041312\
 Data File : HL002774.D
 Signal(s) : VWD1A.CH
 Acq On : 13-Apr-2012, 14:47
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Apr 16 07:21:31 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Apr 13 11:07:55 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.421	3929258	1031.665 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 343.89%#
Target Compounds			
2) T HMX	0.952	4206291	959.374 ug/L
3) T RDX	1.831	5924165	1086.040 ug/L
4) T 1,3,5-Trinitrobenzene	2.846	6298491	494.792 ug/L
5) T Tetryl	6.447	8935868	987.426 ug/L
6) T 2,4,6-Trinitrotoluene	6.822	6219195	522.824 ug/L
7) T 2-Amino-4,6-dinitroto...	7.346	5902926	526.302 ug/L
8) T 4-Amino-2,6-dinitroto...	7.681	3843660	498.250 ug/L
9) T 2,4-Dinitrotoluene	8.543	8254907	486.379 ug/L
10) T 2,6-Dinitrotoluene	8.933	4427983	499.492 ug/L
11) T 1,3-Dinitrobenzene	3.777	8907316	495.839 ug/L
12) T Nitrobenzene	5.072	5641313	535.349 ug/L
13) T 2-Nitrotoluene	12.319	7092908	1018.429 ug/L
14) T 3-Nitrotoluene	14.428	7543640	1055.114 ug/L
15) T 4-Nitrotoluene	13.102	5996709	1040.802 ug/L
16) T 3,5-Dinitroaniline	4.137	17882881	1064.713 ug/L
18) T PETN	19.502	24086246	2432.419 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : X:\HPCHEM1\HPLC_L\Data\HL041312\
Data File : HL002774.D
Signal(s) : VWD1A.CH
Acq On : 13-Apr-2012, 14:47
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Apr 16 07:21:31 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL032912.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Apr 13 11:07:55 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

