

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL051612\
 Data File : HL002992.D
 Signal(s) : VWD1A.CH
 Acq On : 16-May-2012, 16:44
 Operator : HLM
 Sample : PB63072BS1
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Integration File: events.e
 Quant Time: May 18 00:28:45 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Wed May 16 17:58:22 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.388	676988	185.027 ug/L m
Spiked Amount 300.000	Range 37 - 149	Recovery =	61.68%
Target Compounds			
2) T HMX	0.928	576708	139.657 ug/L
3) T RDX	1.788	739004	131.019 ug/L
4) T 1,3,5-Trinitrobenzene	2.798	1694705	135.135 ug/L
5) T Tetryl	6.380	1088022	121.132 ug/L
6) T 2,4,6-Trinitrotoluene	6.740	1802102	149.878 ug/L
7) T 2-Amino-4,6-dinitroto...	7.251	1551084	140.721 ug/L
8) T 4-Amino-2,6-dinitroto...	7.587	1055457	139.416 ug/L
9) T 2,4-Dinitrotoluene	8.437	2176299	134.080 ug/L
10) T 2,6-Dinitrotoluene	8.826	1160506	129.194 ug/L
11) T 1,3-Dinitrobenzene	3.706	2398122	136.538 ug/L
12) T Nitrobenzene	4.978	1469631	133.035 ug/L
13) T 2-Nitrotoluene	12.165	918385	132.100 ug/L m
14) T 3-Nitrotoluene	14.252	945885	125.633 ug/L m
15) T 4-Nitrotoluene	12.950	763734	129.608 ug/L m
16) T 3,5-Dinitroaniline	4.060	1934767	108.470 ug/L
18) T PETN	19.250	1168456	114.638 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL051612\
Data File : HL002992.D
Signal(s) : VWD1A.CH
Acq On : 16-May-2012, 16:44
Operator : HLM
Sample : PB63072BS1
Misc :
ALS Vial : 32 Sample Multiplier: 1

Integration File: events.e
Quant Time: May 18 00:28:45 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Wed May 16 17:58:22 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

