

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL051612\
 Data File : HL002998.D
 Signal(s) : VWD1A.CH
 Acq On : 16-May-2012, 19:26
 Operator : HLM
 Sample : D2550-02MS1
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Integration File: events.e
 Quant Time: May 18 00:29:12 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Wed May 16 17:58:22 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.389	542096	148.160 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 49.39%
Target Compounds			
2) T HMX	0.928	491103	119.833 ug/L
3) T RDX	1.786	601462	106.634 ug/L
4) T 1,3,5-Trinitrobenzene	2.800	1419838	113.218 ug/L
5) T Tetryl	6.380	957266	106.574 ug/L
6) T 2,4,6-Trinitrotoluene	6.740	1577106	131.166 ug/L
7) T 2-Amino-4,6-dinitroto...	7.252	1323001	120.029 ug/L
8) T 4-Amino-2,6-dinitroto...	7.593	944040	124.699 ug/L
9) T 2,4-Dinitrotoluene	8.435	1820590	112.165 ug/L
10) T 2,6-Dinitrotoluene	8.821	1032535	114.948 ug/L
11) T 1,3-Dinitrobenzene	3.706	2032358	115.713 ug/L
12) T Nitrobenzene	4.980	1260505	114.104 ug/L
13) T 2-Nitrotoluene	12.176	781606	112.426 ug/L m
14) T 3-Nitrotoluene	14.253	882209	117.175 ug/L m
15) T 4-Nitrotoluene	12.968	622893	105.707 ug/L m
16) T 3,5-Dinitroaniline	4.059	1626288	91.175 ug/L
18) T PETN	19.267	1090307	106.970 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL051612\
Data File : HL002998.D
Signal(s) : VWD1A.CH
Acq On : 16-May-2012, 19:26
Operator : HLM
Sample : D2550-02MS1
Misc :
ALS Vial : 38 Sample Multiplier: 1

Integration File: events.e
Quant Time: May 18 00:29:12 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Wed May 16 17:58:22 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

