

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL051612\
 Data File : HL003000.D
 Signal(s) : VWD1A.CH
 Acq On : 16-May-2012, 20:20
 Operator : HLM
 Sample : D2550-03MSD1
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Integration File: events.e
 Quant Time: May 18 00:29:24 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Wed May 16 17:58:22 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.387	643367	175.838 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery =	58.61%
Target Compounds			
2) T HMX	0.928	557390	135.184 ug/L
3) T RDX	1.786	718538	127.391 ug/L
4) T 1,3,5-Trinitrobenzene	2.799	1675150	133.576 ug/L
5) T Tetryl	6.377	1094442	121.846 ug/L
6) T 2,4,6-Trinitrotoluene	6.738	1809281	150.475 ug/L
7) T 2-Amino-4,6-dinitroto...	7.248	1519424	137.849 ug/L
8) T 4-Amino-2,6-dinitroto...	7.591	1087750	143.682 ug/L
9) T 2,4-Dinitrotoluene	8.434	2142164	131.977 ug/L
10) T 2,6-Dinitrotoluene	8.818	1196879	133.244 ug/L
11) T 1,3-Dinitrobenzene	3.705	2357043	134.200 ug/L
12) T Nitrobenzene	4.978	1464947	132.611 ug/L
13) T 2-Nitrotoluene	12.178	862700	124.090 ug/L m
14) T 3-Nitrotoluene	14.269	1093622	145.255 ug/L m
15) T 4-Nitrotoluene	12.947	684548	116.170 ug/L m
16) T 3,5-Dinitroaniline	4.058	1845362	103.457 ug/L
18) T PETN	19.217	1221542	119.846 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL051612\
Data File : HL003000.D
Signal(s) : VWD1A.CH
Acq On : 16-May-2012, 20:20
Operator : HLM
Sample : D2550-03MSD1
Misc :
ALS Vial : 40 Sample Multiplier: 1

Integration File: events.e
Quant Time: May 18 00:29:24 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Wed May 16 17:58:22 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

