

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL051612\
 Data File : HL003016.D
 Signal(s) : VWD1A.CH
 Acq On : 17-May-2012, 03:31
 Operator : HLM
 Sample : PB63031BS1
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Integration File: events.e
 Quant Time: May 18 00:30:35 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Wed May 16 17:58:22 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.389	1190711	325.432 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 108.48%
Target Compounds			
2) T HMX	0.928	939543	223.681 ug/L
3) T RDX	1.787	1285849	227.970 ug/L
4) T 1,3,5-Trinitrobenzene	2.801	2876841	229.399 ug/L
5) T Tetryl	6.379	1833054	204.077 ug/L
6) T 2,4,6-Trinitrotoluene	6.740	3057993	254.329 ug/L
7) T 2-Amino-4,6-dinitroto...	7.253	2561245	232.368 ug/L
8) T 4-Amino-2,6-dinitroto...	7.594	1880786	248.434 ug/L
9) T 2,4-Dinitrotoluene	8.436	3645945	224.624 ug/L
10) T 2,6-Dinitrotoluene	8.824	1982061	220.655 ug/L
11) T 1,3-Dinitrobenzene	3.706	4039968	230.018 ug/L
12) T Nitrobenzene	4.978	2460870	222.765 ug/L
13) T 2-Nitrotoluene	12.172	1622865	233.432 ug/L
14) T 3-Nitrotoluene	14.255	1674294	222.380 ug/L
15) T 4-Nitrotoluene	12.965	1333198	226.247 ug/L
16) T 3,5-Dinitroaniline	4.058	3216086	180.305 ug/L
18) T PETN	19.263	2014706	197.664 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL051612\
Data File : HL003016.D
Signal(s) : VWD1A.CH
Acq On : 17-May-2012, 03:31
Operator : HLM
Sample : PB63031BS1
Misc :
ALS Vial : 22 Sample Multiplier: 1

Integration File: events.e
Quant Time: May 18 00:30:35 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL050312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Wed May 16 17:58:22 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

