

Evaluate Continuing Calibration Report

Data File : H:\VOL1\HPLC\HPLC L\120516\HL003003.D Vial: 3
 Acq On : 16-May-2012, 21:41 Operator: HLM
 Sample : 8330NG-CCV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL050312.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Fri May 04 10:29:09 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T Nitroglycerin	58.711	60.362	-2.8	0#	0.00

Data File : H:\VOL1\HPLC\HPLC L\120516\HL003003.D
 Acq On : 16-May-2012, 21:41
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 3
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL050312.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Fri May 04 10:29:09 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.659	0.000 E3	100.0#	0#	-1.39#
2 T	HMX	3.967	0.000 E3	100.0#	0#	-0.93#
3 T	RDX	5.640	0.000 E3	100.0#	0#	-1.79#
4 T	1,3,5-Trinitrobenzene	12.541	0.000 E3	100.0#	0#	-2.80#
5 T	Tetryl	8.982	0.000 E3	100.0#	0#	-6.39#
6 T	2,4,6-Trinitrotoluene	12.024	0.000 E3	100.0#	0#	-6.75#
7 T	2-Amino-4,6-dinitrotoluene	11.022	0.000 E3	100.0#	0#	-7.26#
8 T	4-Amino-2,6-dinitrotoluene	7.571	0.000 E3	100.0#	0#	-7.60#
9 T	2,4-Dinitrotoluene	16.231	0.000 E3	100.0#	0#	-8.45#
10 T	2,6-Dinitrotoluene	8.983	0.000 E3	100.0#	0#	-8.83#
11 T	1,3-Dinitrobenzene	17.564	0.000 E3	100.0#	0#	-3.71#
12 T	Nitrobenzene	11.047	0.000 E3	100.0#	0#	-4.98#
13 T	2-Nitrotoluene	6.952	0.000 E3	100.0#	0#	-12.18#
14 T	3-Nitrotoluene	7.529	0.000 E3	100.0#	0#	-14.28#
15 T	4-Nitrotoluene	5.893	0.000 E3	100.0#	0#	-12.97#
16 T	3,5-Dinitroaniline	17.837	0.000 E3	100.0#	0#	-4.07#
18 T	PETN	10.193	0.000 E3	100.0#	0#	-19.29#