

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
 Data File : HL003208.D
 Signal(s) : VWD1A.CH
 Acq On : 08-Jun-2012, 08:40
 Operator : HLM
 Sample : D2921-11MSD2
 Misc :
 ALS Vial : 53 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 14 07:33:15 2012
 Quant Method : Z:\HPCHEM1\HPLC_L\methods\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Wed Jun 13 15:12:30 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.338	749651	206.125 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 68.71%
Target Compounds			
2) T HMX	0.897	1600963	345.580 ug/L
3) T RDX	1.722f	193230	34.025 ug/L
4) T 1,3,5-Trinitrobenzene	2.692f	108162	8.861 ug/L
5) T Tetryl	6.076f	176379	19.783 ug/L
7) T 2-Amino-4,6-dinitroto...	6.883f	109822	9.834 ug/L
8) T 4-Amino-2,6-dinitroto...	7.202f	116811	15.478 ug/L
16) T 3,5-Dinitroaniline	3.877f	129863	6.829 ug/L
17) T Nitroglycerin	6.076	176379	2964.634 ug/L
18) T PETN	18.541f	1058818	109.924 ug/L


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
Data File : HL003208.D
Signal(s) : VWD1A.CH
Acq On : 08-Jun-2012, 08:40
Operator : HLM
Sample : D2921-11MSD2
Misc :
ALS Vial : 53 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 14 07:33:15 2012
Quant Method : Z:\HPCHEM1\HPLC_L\methods\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Wed Jun 13 15:12:30 2012
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. :
Signal Phase :
Signal Info :






#1 4-Nitroaniline

R.T.: 1.338 min
Delta R.T.: -0.007 min
Response: 749651
Conc: 206.13 ug/L




#2 HMX

R.T.: 0.897 min
Delta R.T.: -0.005 min
Response: 1600963
Conc: 345.58 ug/L




#3 RDX

R.T.: 1.722 min
Delta R.T.: -0.013 min
Response: 193230
Conc: 34.03 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.692 min
Delta R.T.: -0.024 min
Response: 108162
Conc: 8.86 ug/L




#5 Tetryl

R.T.: 6.076 min
Delta R.T.: -0.043 min
Response: 176379
Conc: 19.78 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 6.883 min
Delta R.T.: -0.053 min
Response: 109822
Conc: 9.83 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.202 min
Delta R.T.: -0.062 min
Response: 116811
Conc: 15.48 ug/L




#16 3,5-Dinitroaniline

R.T.: 3.877 min
Delta R.T.: -0.035 min
Response: 129863
Conc: 6.83 ug/L



#17 Nitroglycerin

R.T.: 6.076 min
Delta R.T.: -0.003 min
Response: 176379
Conc: 2964.63 ug/L



#18 PETN

R.T.: 18.541 min
Delta R.T.: -0.179 min
Response: 1058818
Conc: 109.92 ug/L