

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
 Data File : HL003183.D
 Signal(s) : VWD1A.CH
 Acq On : 07-Jun-2012, 21:26
 Operator : HLM
 Sample : PB63611BSD1
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 14 06:53:46 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Jun 08 13:33:08 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.375	1285182	353.376 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 117.79%
Target Compounds			
2) T HMX	0.917	910128	201.930 ug/L
3) T RDX	1.772	1274186	224.367 ug/L
4) T 1,3,5-Trinitrobenzene	2.785f	2868464	234.992 ug/L
5) T Tetryl	6.342f	1712371	192.062 ug/L
6) T 2,4,6-Trinitrotoluene	6.742f	3079084	261.401 ug/L
7) T 2-Amino-4,6-dinitroto...	7.175f	2548546	228.205 ug/L
8) T 4-Amino-2,6-dinitroto...	7.528f	1891743	250.670 ug/L
9) T 2,4-Dinitrotoluene	8.413f	3589649	226.652 ug/L
10) T 2,6-Dinitrotoluene	8.812f	2012318	228.616 ug/L
11) T 1,3-Dinitrobenzene	3.692f	3979279	239.636 ug/L
12) T Nitrobenzene	4.970f	2483766	221.754 ug/L
13) T 2-Nitrotoluene	12.164f	1590935	228.074 ug/L
14) T 3-Nitrotoluene	14.260f	1665928	225.598 ug/L
15) T 4-Nitrotoluene	12.962f	1322394	222.405 ug/L
16) T 3,5-Dinitroaniline	4.015f	3229977	169.841 ug/L
18) T PETN	19.477f	2036082	211.381 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
Data File : HL003183.D
Signal(s) : VWD1A.CH
Acq On : 07-Jun-2012, 21:26
Operator : HLM
Sample : PB63611BSD1
Misc :
ALS Vial : 24 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 14 06:53:46 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Jun 08 13:33:08 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

