

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
 Data File : HL003194.D
 Signal(s) : VWD1A.CH
 Acq On : 08-Jun-2012, 02:23
 Operator : HLM
 Sample : PB63617BS1
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 14 07:15:13 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Jun 08 14:09:05 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.359	713426	196.165 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery =	65.39%
Target Compounds			
2) T HMX	0.908	590273	128.073 ug/L
3) T RDX	1.749	757962	133.467 ug/L
4) T 1,3,5-Trinitrobenzene	2.740	1764355	144.541 ug/L
5) T Tetryl	6.197f	1072450	120.287 ug/L
6) T 2,4,6-Trinitrotoluene	6.599f	1856565	157.614 ug/L
7) T 2-Amino-4,6-dinitroto...	7.021f	1577157	141.224 ug/L
8) T 4-Amino-2,6-dinitroto...	7.361f	1131484	149.930 ug/L
9) T 2,4-Dinitrotoluene	8.229f	2207866	139.406 ug/L
10) T 2,6-Dinitrotoluene	8.617f	1304148	148.162 ug/L
11) T 1,3-Dinitrobenzene	3.631	2417102	145.560 ug/L
12) T Nitrobenzene	4.881f	1504643	134.336 ug/L
13) T 2-Nitrotoluene	11.883f	957227	137.227 ug/L
14) T 3-Nitrotoluene	13.948	1017684	137.813 ug/L
15) T 4-Nitrotoluene	12.650f	800961	134.709 ug/L
16) T 3,5-Dinitroaniline	3.947f	1996231	104.967 ug/L
18) T PETN	19.016	1194106	123.969 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
Data File : HL003194.D
Signal(s) : VWD1A.CH
Acq On : 08-Jun-2012, 02:23
Operator : HLM
Sample : PB63617BS1
Misc :
ALS Vial : 42 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 14 07:15:13 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Jun 08 14:09:05 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

