

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
 Data File : HL003202.D
 Signal(s) : VWD1A.CH
 Acq On : 08-Jun-2012, 05:59
 Operator : HLM
 Sample : D2921-11MS1
 Misc :
 ALS Vial : 50 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 14 06:55:11 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Jun 08 14:15:20 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.342	697097	191.675 ug/L m
Spiked Amount 300.000	Range 37 - 149	Recovery =	63.89%
Target Compounds			
2) T HMX	0.898	1662543	375.670 ug/L
3) T RDX	1.732	1689485	297.496 ug/L
4) T 1,3,5-Trinitrobenzene	2.709	1947923	159.579 ug/L
5) T Tetryl	6.101	2193621	246.039 ug/L
6) T 2,4,6-Trinitrotoluene	6.506	7822117	664.064 ug/L
7) T 2-Amino-4,6-dinitroto...	6.920	1802804	161.429 ug/L
8) T 4-Amino-2,6-dinitroto...	7.249	1252707	165.993 ug/L
9) T 2,4-Dinitrotoluene	8.110	9138357	577.000 ug/L m
10) T 2,6-Dinitrotoluene	8.462f	1139270	129.431 ug/L m
11) T 1,3-Dinitrobenzene	3.587	2530883	152.412 ug/L
12) T Nitrobenzene	4.822	1555062	138.838 ug/L
13) T 2-Nitrotoluene	11.709	985054	141.216 ug/L
14) T 3-Nitrotoluene	13.713	1053104	142.610 ug/L
15) T 4-Nitrotoluene	12.467	861374	144.869 ug/L
16) T 3,5-Dinitroaniline	3.899	2119833	111.467 ug/L
18) T PETN	18.697	1532587	159.109 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
Data File : HL003202.D
Signal(s) : VWD1A.CH
Acq On : 08-Jun-2012, 05:59
Operator : HLM
Sample : D2921-11MS1
Misc :
ALS Vial : 50 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 14 06:55:11 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Jun 08 14:15:20 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

