

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
 Data File : HL003204.D
 Signal(s) : VWD1A.CH
 Acq On : 08-Jun-2012, 06:52
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 14 06:44:36 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Jun 08 14:15:20 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.346	4155783	1142.680 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 380.89%#
Target Compounds			
2) T HMX	0.902	4443659	1017.855 ug/L
3) T RDX	1.735	6197933	1091.375 ug/L
4) T 1,3,5-Trinitrobenzene	2.716	6430802	526.828 ug/L
5) T Tetryl	6.119	8889957	997.109 ug/L
6) T 2,4,6-Trinitrotoluene	6.523	6079075	516.088 ug/L
7) T 2-Amino-4,6-dinitroto...	6.937	5860954	524.810 ug/L
8) T 4-Amino-2,6-dinitroto...	7.265	4146771	549.478 ug/L
9) T 2,4-Dinitrotoluene	8.132	8222643	519.181 ug/L
10) T 2,6-Dinitrotoluene	8.509	4670219	530.577 ug/L
11) T 1,3-Dinitrobenzene	3.596	9032381	543.939 ug/L
12) T Nitrobenzene	4.831	5422928	484.166 ug/L
13) T 2-Nitrotoluene	11.732	6851627	982.240 ug/L
14) T 3-Nitrotoluene	13.738	7402207	1002.397 ug/L
15) T 4-Nitrotoluene	12.488	5932848	997.809 ug/L
16) T 3,5-Dinitroaniline	3.911	19884846	1045.600 ug/L
18) T PETN	18.720	24159550	2508.184 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
Data File : HL003204.D
Signal(s) : VWD1A.CH
Acq On : 08-Jun-2012, 06:52
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 14 06:44:36 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Jun 08 14:15:20 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

