

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
 Data File : HL003215.D
 Signal(s) : VWD1A.CH
 Acq On : 08-Jun-2012, 11:49
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Jun 14 06:44:47 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Jun 08 14:15:20 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.341	4151173	1141.413 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 380.47%#
Target Compounds			
2) T HMX	0.901	4464092	1022.573 ug/L
3) T RDX	1.730	6222955	1095.781 ug/L
4) T 1,3,5-Trinitrobenzene	2.704	6437190	527.351 ug/L
5) T Tetryl	6.077f	8952542	1004.129 ug/L
6) T 2,4,6-Trinitrotoluene	6.483f	6128791	520.308 ug/L
7) T 2-Amino-4,6-dinitroto...	6.893f	5916689	529.800 ug/L
8) T 4-Amino-2,6-dinitroto...	7.218f	4216496	558.717 ug/L
9) T 2,4-Dinitrotoluene	8.081f	8294928	523.745 ug/L
10) T 2,6-Dinitrotoluene	8.454f	4755820	540.301 ug/L
11) T 1,3-Dinitrobenzene	3.579	9016947	543.009 ug/L
12) T Nitrobenzene	4.807	5353869	478.000 ug/L
13) T 2-Nitrotoluene	11.658f	6786799	972.946 ug/L
14) T 3-Nitrotoluene	13.656f	7476436	1012.449 ug/L
15) T 4-Nitrotoluene	12.408f	5937538	998.598 ug/L
16) T 3,5-Dinitroaniline	3.893	19826418	1042.528 ug/L
18) T PETN	18.603f	24406298	2533.800 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\HPCHEM1\HPLC_L\Data\HL060712\
Data File : HL003215.D
Signal(s) : VWD1A.CH
Acq On : 08-Jun-2012, 11:49
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
Quant Time: Jun 14 06:44:47 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL060712.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Jun 08 14:15:20 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

