

Method Path : Z:\HPCHEM1\HPLC_L\methods\
 Method File : HL060712.M
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Wed Jun 13 15:12:30 2012
 Response Via : Initial Calibration

Calibration Files

CAL1 =HL003172.D CAL2 =HL003171.D CAL3 =HL003170.D
 CAL4 =HL003169.D CAL5 =HL003168.D CAL6 =HL003167.D

	Compound	CAL1	CAL2	CAL3	CAL4	CAL5	CAL6	Avg		%RSD
1) S	4-Nitroaniline	2.901	3.453	3.658	4.033	3.875	3.901	3.637	E3	11.40
2) T	HMX	5.904	4.570	4.097	4.521	4.373	4.331	4.633	E3	13.92
3) T	RDX	5.027	5.595	5.576	6.105	5.890	5.880	5.679	E3	6.64
4) T	1,3,5-Trinitr...	1.275	1.201	1.164	1.260	1.214	1.211	1.221	E4	3.32
5) T	Tetryl	9.525	8.789	8.581	8.836	8.838	8.925	8.916	E3	3.59
6) T	2,4,6-Trinitr...	1.206	1.209	1.128	1.202	1.164	1.159	1.178	E4	2.79
7) T	2-Amino-4,6-d...	1.042	1.150	1.101	1.160	1.127	1.121	1.117	E4	3.78
8) T	4-Amino-2,6-d...	6.254	7.669	7.490	8.166	7.820	7.881	7.547	E3	8.90
9) T	2,4-Dinitroto...	1.677	1.586	1.496	1.622	1.562	1.561	1.584	E4	3.87
10) T	2,6-Dinitroto...	8.644	8.293	8.536	9.366	8.990	8.985	8.802	E3	4.37
11) T	1,3-Dinitrobe...	1.573	1.615	1.618	1.762	1.699	1.698	1.661	E4	4.23
12) T	Nitrobenzene	1.204	1.187	1.077	1.072	1.084	1.097	1.120	E4	5.28
13) T	2-Nitrotoluene	7.922	6.697	6.602	6.955	6.857	6.819	6.976	E3	6.88
14) T	3-Nitrotoluene	7.664	7.412	6.958	7.480	7.371	7.423	7.385	E3	3.16
15) T	4-Nitrotoluene	6.832	5.727	5.582	5.968	5.791	5.774	5.946	E3	7.59
16) T	3,5-Dinitroan...	2.000	1.958	1.789	1.941	1.856	1.867	1.902	E4	4.10
17) T	Nitroglycerin		6.118	6.542	5.986	5.599	5.502	5.949	E1	7.05
18) T	PETN	0.802	0.874	1.085	0.960	0.912	1.147	0.963	E4	13.56

(#) = Out of Range