

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL060712.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Wed Jun 13 15:11:01 2012
 Response via : Initial Calibration

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL060712

Continuing Calibration File: HL003173.D

Min. RRF : 0.000 Min. Rel. Area : 50%
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF		%Dev	Area%
1 S	4-Nitroaniline	3.637	0.000	E3	100.0#	-0#
2 T	HMX	4.633	3.932	E3	15.1	87
3 T	RDX	5.679	5.177	E3	8.8	85
4 T	1,3,5-Trinitrobenzene	12.207	11.380	E3	6.8	181#
5 T	Tetryl	8.916	8.597	E3	3.6	97
6 T	2,4,6-Trinitrotoluene	11.779	11.222	E3	4.7	187#
7 T	2-Amino-4,6-dinitrotoluene	11.168	10.211	E3	8.6	176#
8 T	4-Amino-2,6-dinitrotoluene	7.547	7.231	E3	4.2	177#
9 T	2,4-Dinitrotoluene	15.838	13.917	E3	12.1	172#
10 T	2,6-Dinitrotoluene	8.802	8.134	E3	7.6	174#
11 T	1,3-Dinitrobenzene	16.606	15.392	E3	7.3	175#
12 T	Nitrobenzene	11.201	9.685	E3	13.5	181#
13 T	2-Nitrotoluene	6.976	6.320	E3	9.4	91
14 T	3-Nitrotoluene	7.385	6.585	E3	10.8	88
15 T	4-Nitrotoluene	5.946	5.289	E3	11.0	89
16 T	3,5-Dinitroaniline	19.018	12.868	E3	32.3#	66
17 T	Nitroglycerin	59.494	0.000		100.0#	-0#
18 T	PETN	9.632	8.867	E3	7.9	37#