

Data File : H:\VOL1\HPLC\HPLC\_L\120607\HL003179.D Vial: 14  
Acq On : 07-Jun-2012, 19:39 Operator: HLM  
Sample : 8330NG-ICV Inst : G1314A  
Misc : Multiplr: 1.00  
IntFile : events.e

Instrument :  
HPLC\_L  
ClientSampleId :  
ICVHL060712NG

Method : H:\VOL1\HPLC\HPLC\_L\METHODS\HL06071A.M (Chemstation Integrator)  
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)  
Last Update : Fri Jun 08 13:23:23 2012  
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
Max. RRF Dev : 20% Max. Rel. Area : 150%

|      | Compound      | AvqRF  | CCRF   | %Dev | Area% | Dev(min) |
|------|---------------|--------|--------|------|-------|----------|
| 17 T | Nitroglycerin | 59.494 | 60.924 | -2.4 | 0#    | -0.02    |

Data File : H:\VOL1\HPLC\HPLC L\120607\HL003179.D  
 Acq On : 07-Jun-2012, 19:39  
 Sample : 8330NG-ICV  
 Misc :  
 IntFile : events.e

Vial: 14  
 Operator: HLM  
 Inst : G1314A  
 Multiplr: 1.00

Instrument :  
 HPLC\_L  
 ClientSampleId :  
 ICVHL060712NG

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL06071A.M (Chemstation Integrator)  
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)  
 Last Update : Fri Jun 08 13:23:23 2012  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 20% Max. Rel. Area : 150%

|      | Compound                   | AvqRF | CCRF  | %Dev | Area% | Dev(min) |
|------|----------------------------|-------|-------|------|-------|----------|
| 1 S  | 4-Nitroaniline             | 0.000 | 0.000 | 0.0  | 0#    | -1.38#   |
| 2 T  | HMX                        | 0.000 | 0.000 | 0.0  | 0#    | -0.92#   |
| 3 T  | RDX                        | 0.000 | 0.000 | 0.0  | 0#    | -1.78#   |
| 4 T  | 1,3,5-Trinitrobenzene      | 0.000 | 0.000 | 0.0  | 0#    | -2.80#   |
| 5 T  | Tetryl                     | 0.000 | 0.000 | 0.0  | 0#    | -6.40#   |
| 6 T  | 2,4,6-Trinitrotoluene      | 0.000 | 0.000 | 0.0  | 0#    | -6.80#   |
| 7 T  | 2-Amino-4,6-dinitrotoluene | 0.000 | 0.000 | 0.0  | 0#    | -7.23#   |
| 8 T  | 4-Amino-2,6-dinitrotoluene | 0.000 | 0.000 | 0.0  | 0#    | -7.59#   |
| 9 T  | 2,4-Dinitrotoluene         | 0.000 | 0.000 | 0.0  | 0#    | -8.48#   |
| 10 T | 2,6-Dinitrotoluene         | 0.000 | 0.000 | 0.0  | 0#    | -8.88#   |
| 11 T | 1,3-Dinitrobenzene         | 0.000 | 0.000 | 0.0  | 0#    | -3.71#   |
| 12 T | Nitrobenzene               | 0.000 | 0.000 | 0.0  | 0#    | -5.00#   |
| 13 T | 2-Nitrotoluene             | 0.000 | 0.000 | 0.0  | 0#    | -12.25#  |
| 14 T | 3-Nitrotoluene             | 0.000 | 0.000 | 0.0  | 0#    | -14.36#  |
| 15 T | 4-Nitrotoluene             | 0.000 | 0.000 | 0.0  | 0#    | -13.05#  |
| 16 T | 3,5-Dinitroaniline         | 0.000 | 0.000 | 0.0  | 0#    | -4.04#   |
| 18 T | PETN                       | 0.000 | 0.000 | 0.0  | 0#    | -19.62#  |