

Data File : H:\VOL1\HPLC\HPLC L\120607\HL003192.D
Acq On : 08-Jun-2012, 01:29
Sample : 8330NG-CCV
Misc :
IntFile : events.e

Vial: 11
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_L
ClientSampleId :
CCAL02

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL060712.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Wed Jun 13 15:14:35 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	59.494	61.132	-2.8	0#	0.00

Data File : H:\VOL1\HPLC\HPLC L\120607\HL003192.D
 Acq On : 08-Jun-2012, 01:29
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 11
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_L
 ClientSampleId :
 CCAL02

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL060712.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Wed Jun 13 15:14:35 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.637	0.000 E3	100.0#	0#	-1.36#
2 T	HMX	4.633	0.000 E3	100.0#	0#	-0.91#
3 T	RDX	5.679	0.000 E3	100.0#	0#	-1.76#
4 T	1,3,5-Trinitrobenzene	12.207	0.000 E3	100.0#	0#	-2.76#
5 T	Tetryl	8.916	0.000 E3	100.0#	0#	-6.24#
6 T	2,4,6-Trinitrotoluene	11.779	0.000 E3	100.0#	0#	-6.64#
7 T	2-Amino-4,6-dinitrotoluene	11.168	0.000 E3	100.0#	0#	-7.06#
8 T	4-Amino-2,6-dinitrotoluene	7.547	0.000 E3	100.0#	0#	-7.40#
9 T	2,4-Dinitrotoluene	15.838	0.000 E3	100.0#	0#	-8.28#
10 T	2,6-Dinitrotoluene	8.802	0.000 E3	100.0#	0#	-8.67#
11 T	1,3-Dinitrobenzene	16.606	0.000 E3	100.0#	0#	-3.65#
12 T	Nitrobenzene	11.201	0.000 E3	100.0#	0#	-4.91#
13 T	2-Nitrotoluene	6.976	0.000 E3	100.0#	0#	-11.95#
14 T	3-Nitrotoluene	7.385	0.000 E3	100.0#	0#	-14.00#
15 T	4-Nitrotoluene	5.946	0.000 E3	100.0#	0#	-12.73#
16 T	3,5-Dinitroaniline	19.018	0.000 E3	100.0#	0#	-3.97#
18 T	PETN	9.632	0.000 E3	100.0#	0#	-19.10#