

Evaluate Continuing Calibration Report

Data File : H:\VOL1\HPLC\HPLC L\120607\HL003205.D Vial: 11  
 Acq On : 08-Jun-2012, 07:19 Operator: HLM  
 Sample : 8330NG-CCV Inst : G1314A  
 Misc : Multiplr: 1.00  
 IntFile : events.e

Instrument :  
 HPLC\_L  
 ClientSampleId :  
 CCAL04

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL060712.M (Chemstation Integrator)  
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)  
 Last Update : Wed Jun 13 15:16:12 2012  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 20% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T Nitroglycerin	59.494	65.660	-10.4	0#	0.00

Data File : H:\VOL1\HPLC\HPLC L\120607\HL003205.D Vial: 11  
 Acq On : 08-Jun-2012, 07:19 Operator: HLM  
 Sample : 8330NG-CCV Inst : G1314A  
 Misc : Multiplr: 1.00  
 IntFile : events.e

Instrument :  
 HPLC\_L  
 ClientSampled :  
 CCAL04

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL060712.M (Chemstation Integrator)  
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)  
 Last Update : Wed Jun 13 15:16:12 2012  
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 20% Max. Rel. Area : 150%

Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S 4-Nitroaniline	3.637	0.000 E3	100.0#	0#	-1.35#
2 T HMX	4.633	0.000 E3	100.0#	0#	-0.90#
3 T RDX	5.679	0.000 E3	100.0#	0#	-1.73#
4 T 1,3,5-Trinitrobenzene	12.207	0.000 E3	100.0#	0#	-2.72#
5 T Tetryl	8.916	0.000 E3	100.0#	0#	-6.12#
6 T 2,4,6-Trinitrotoluene	11.779	0.000 E3	100.0#	0#	-6.52#
7 T 2-Amino-4,6-dinitrotoluene	11.168	0.000 E3	100.0#	0#	-6.94#
8 T 4-Amino-2,6-dinitrotoluene	7.547	0.000 E3	100.0#	0#	-7.26#
9 T 2,4-Dinitrotoluene	15.838	0.000 E3	100.0#	0#	-8.13#
10 T 2,6-Dinitrotoluene	8.802	0.000 E3	100.0#	0#	-8.51#
11 T 1,3-Dinitrobenzene	16.606	0.000 E3	100.0#	0#	-3.60#
12 T Nitrobenzene	11.201	0.000 E3	100.0#	0#	-4.83#
13 T 2-Nitrotoluene	6.976	0.000 E3	100.0#	0#	-11.73#
14 T 3-Nitrotoluene	7.385	0.000 E3	100.0#	0#	-13.74#
15 T 4-Nitrotoluene	5.946	0.000 E3	100.0#	0#	-12.49#
16 T 3,5-Dinitroaniline	19.018	0.000 E3	100.0#	0#	-3.91#
18 T PETN	9.632	0.000 E3	100.0#	0#	-18.72#