

Data File : H:\VOL1\HPLC\HPLC L\120803\HL003332.D Vial: 8
 Acq On : 03-Aug-2012, 15:21 Operator: HLM
 Sample : 8330-ICV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Aug 6 10:02 2012 Quant Results File: HL080312.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL080312.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Mon Aug 06 10:00:24 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330AGIP.M

Volume Inj. :
 Signal Phase :
 Signal Info :


Compound	R.T.	Response	Conc Units


System Monitoring Compounds			
Target Compounds			
2) T HMX	0.93	4044818	995.093 ug/L
3) T RDX	1.81	5400463	1057.861 ug/L
4) T 1,3,5-Trinitrobenzene	2.81	11875491	980.081 ug/L
5) T Tetrvl	6.47	8898675	1030.146 ug/L
6) T 2,4,6-Trinitrotoluene	6.82	11897450	1082.787 ug/L
7) T 2-Amino-4,6-dinitrotoluene	7.33	10695188	1052.966 ug/L
8) T 4-Amino-2,6-dinitrotoluene	7.69	7450214	1042.957 ug/L
9) T 2,4-Dinitrotoluene	8.52	14679170	972.919 ug/L
10) T 2,6-Dinitrotoluene	8.93	8307704	979.917 ug/L
11) T 1,3-Dinitrobenzene	3.74	16214868	1008.061 ug/L
12) T Nitrobenzene	5.02	10316126	984.204 ug/L
13) T 2-Nitrotoluene	12.32	6614103	1001.372 ug/L
14) T 3-Nitrotoluene	14.43	6900233	989.719 ug/L
15) T 4-Nitrotoluene	13.11	5510132	1000.754 ug/L
16) T 3,5-Dinitroaniline	4.09	13390798	963.713 ug/L
18) T PETN	19.75	9248109	942.684 ug/L

Data File : H:\VOL1\HPLC\HPLC L\120803\HL003332.D Vial: 8
Acq On : 03-Aug-2012, 15:21 Operator: HLM
Sample : 8330-ICV Inst : G1314A
Misc : Multiplr: 1.00
IntFile : events.e
Quant Time: Aug 6 10:02 2012 Quant Results File: HL080312.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL080312.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Mon Aug 06 10:00:24 2012
Response via : Multiple Level Calibration
DataAcq Meth : 8330AGIP.M


Volume Inj. :
Signal Phase :
Signal Info :






#2 HMX

R.T.: 0.932 min
Delta R.T.: 0.000 min
Response: 4044818
Conc: 995.09 ug/L




#3 RDX

R.T.: 1.805 min
Delta R.T.: 0.000 min
Response: 5400463
Conc: 1057.86 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.815 min
Delta R.T.: 0.000 min
Response: 11875491
Conc: 980.08 ug/L




#5 Tetryl

R.T.: 6.466 min
Delta R.T.: 0.002 min
Response: 8898675
Conc: 1030.15 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.823 min
Delta R.T.: 0.002 min
Response: 11897450
Conc: 1082.79 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.327 min
Delta R.T.: 0.002 min
Response: 10695188
Conc: 1052.97 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.687 min
Delta R.T.: 0.000 min
Response: 7450214
Conc: 1042.96 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.525 min
Delta R.T.: 0.002 min
Response: 14679170
Conc: 972.92 ug/L




#10 2,6-Dinitrotoluene

R.T.: 8.932 min
Delta R.T.: 0.001 min
Response: 8307704
Conc: 979.92 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.736 min
Delta R.T.: 0.000 min
Response: 16214868
Conc: 1008.06 ug/L




#12 Nitrobenzene

R.T.: 5.024 min
Delta R.T.: 0.000 min
Response: 10316126
Conc: 984.20 ug/L




#13 2-Nitrotoluene

R.T.: 12.315 min
Delta R.T.: 0.002 min
Response: 6614103
Conc: 1001.37 ug/L




#14 3-Nitrotoluene

R.T.: 14.427 min
Delta R.T.: 0.005 min
Response: 6900233
Conc: 989.72 ug/L




#15 4-Nitrotoluene

R.T.: 13.111 min
Delta R.T.: 0.004 min
Response: 5510132
Conc: 1000.75 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.093 min
Delta R.T.: 0.000 min
Response: 13390798
Conc: 963.71 ug/L



#18 PETN

R.T.: 19.746 min
Delta R.T.: 0.001 min
Response: 9248109
Conc: 942.68 ug/L