

Data Path : S:\HPCHEM1\HPLC_L\Data\HL080312\
 Data File : HL003340.D
 Signal(s) : VWD1A.CH
 Acq On : 03-Aug-2012, 18:58
 Operator : HLM
 Sample : PB64728-BS1
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 07 01:48:27 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Aug 06 10:08:05 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.371	614141	167.450 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 55.82%
Target Compounds			
2) T HMX	0.923	481874	118.549 ug/L
3) T RDX	1.773	660010	129.285 ug/L
4) T 1,3,5-Trinitrobenzene	2.757	1496786	123.529 ug/L
5) T Tetryl	6.251	634488	73.451 ug/L
6) T 2,4,6-Trinitrotoluene	6.622	1733581	157.773 ug/L
7) T 2-Amino-4,6-dinitroto...	7.108	1313295	129.297 ug/L
8) T 4-Amino-2,6-dinitroto...	7.446	988907	138.437 ug/L
9) T 2,4-Dinitrotoluene	8.264	1940669	128.625 ug/L
10) T 2,6-Dinitrotoluene	8.655	1052137	124.102 ug/L
11) T 1,3-Dinitrobenzene	3.655	2111291	131.257 ug/L
12) T Nitrobenzene	4.907	1377202	131.391 ug/L
13) T 2-Nitrotoluene	11.923	781013	118.245 ug/L m
14) T 3-Nitrotoluene	13.967	862565	123.720 ug/L m
15) T 4-Nitrotoluene	12.702	697118	126.611 ug/L m
16) T 3,5-Dinitroaniline	3.998	1689892	121.619 ug/L
18) T PETN	19.050	1057658	107.810 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL080312\
Data File : HL003340.D
Signal(s) : VWD1A.CH
Acq On : 03-Aug-2012, 18:58
Operator : HLM
Sample : PB64728-BS1
Misc :
ALS Vial : 22 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 07 01:48:27 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Aug 06 10:08:05 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

