

Data Path : S:\HPCHEM1\HPLC_L\Data\HL080312\
 Data File : HL003343.D
 Signal(s) : VWD1A.CH
 Acq On : 03-Aug-2012, 20:18
 Operator : HLM
 Sample : D3506-01MS1
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 07 01:48:44 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Aug 06 10:08:05 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.358	629844	171.731 ug/L m
Spiked Amount 300.000	Range 37 - 149	Recovery =	57.24%
Target Compounds			
2) T HMX	0.913f	503572	123.887 ug/L m
3) T RDX	1.761	609921	119.473 ug/L
4) T 1,3,5-Trinitrobenzene	2.739	1604247	132.398 ug/L
5) T Tetryl	6.224	623419	72.169 ug/L
6) T 2,4,6-Trinitrotoluene	6.585	1865193	169.751 ug/L
7) T 2-Amino-4,6-dinitroto...	7.066	1433705	141.152 ug/L
8) T 4-Amino-2,6-dinitroto...	7.401	1037959	145.304 ug/L
9) T 2,4-Dinitrotoluene	8.222	2118764	140.429 ug/L
10) T 2,6-Dinitrotoluene	8.608	1135885	133.981 ug/L
11) T 1,3-Dinitrobenzene	3.634	2285361	142.079 ug/L
12) T Nitrobenzene	4.880	1440485	137.429 ug/L
13) T 2-Nitrotoluene	11.862	947125	143.394 ug/L
14) T 3-Nitrotoluene	13.910	951671	136.501 ug/L
15) T 4-Nitrotoluene	12.612	799309	145.171 ug/L
16) T 3,5-Dinitroaniline	3.976	1810888	130.327 ug/L
18) T PETN	19.026	1229164	125.292 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL080312\
Data File : HL003343.D
Signal(s) : VWD1A.CH
Acq On : 03-Aug-2012, 20:18
Operator : HLM
Sample : D3506-01MS1
Misc :
ALS Vial : 25 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 07 01:48:44 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Aug 06 10:08:05 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

