

Data Path : S:\HPCHEM1\HPLC_L\Data\HL080312\
 Data File : HL003348.D
 Signal(s) : VWD1A.CH
 Acq On : 03-Aug-2012, 22:33
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Aug 07 01:49:08 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Mon Aug 06 10:08:05 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.368	3888288	1060.167 ug/L m
Spiked Amount 300.000	Range 37 - 149	Recovery	= 353.39%#
Target Compounds			
2) T HMX	0.921	4032001	991.939 ug/L
3) T RDX	1.773	5352260	1048.419 ug/L
4) T 1,3,5-Trinitrobenzene	2.752	5872347	484.643 ug/L
5) T Tetryl	6.246	8460763	979.451 ug/L
6) T 2,4,6-Trinitrotoluene	6.613	5587483	508.517 ug/L
7) T 2-Amino-4,6-dinitroto...	7.099	5387652	530.427 ug/L
8) T 4-Amino-2,6-dinitroto...	7.434	3615180	506.090 ug/L
9) T 2,4-Dinitrotoluene	8.257	7607838	504.239 ug/L
10) T 2,6-Dinitrotoluene	8.641	4207235	496.255 ug/L
11) T 1,3-Dinitrobenzene	3.649	8171385	508.006 ug/L
12) T Nitrobenzene	4.897	5135208	489.921 ug/L
13) T 2-Nitrotoluene	11.903	6608418	1000.511 ug/L
14) T 3-Nitrotoluene	13.945	7019692	1006.854 ug/L
15) T 4-Nitrotoluene	12.672	5569172	1011.477 ug/L
16) T 3,5-Dinitroaniline	3.993	14110298	1015.495 ug/L
18) T PETN	19.032	22477522	2291.192 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL080312\
Data File : HL003348.D
Signal(s) : VWD1A.CH
Acq On : 03-Aug-2012, 22:33
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 4 Sample Multiplier: 1

Integration File: events.e
Quant Time: Aug 07 01:49:08 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL080312.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Mon Aug 06 10:08:05 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

