

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL080312.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Mon Aug 06 10:24:15 2012
 Response via : Initial Calibration

Instrument :
 HPLC_L
 ClientSampleId :
 ICVHL080312

Continuing Calibration File: HL003332.D

Min. RRF : 0.000 Min. Rel. Area : 50%
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF		%Dev	Area%
1 S	4-Nitroaniline	3.668	0.000	E3	100.0#	-0#
2 T	HMX	4.065	4.045	E3	0.5	101
3 T	RDX	5.105	5.400	E3	-5.8	102
4 T	1,3,5-Trinitrobenzene	12.117	11.875	E3	2.0	202#
5 T	Tetryl	8.638	8.899	E3	-3.0	103
6 T	2,4,6-Trinitrotoluene	10.988	11.897	E3	-8.3	212#
7 T	2-Amino-4,6-dinitrotoluene	10.157	10.695	E3	-5.3	200#
8 T	4-Amino-2,6-dinitrotoluene	7.143	7.450	E3	-4.3	207#
9 T	2,4-Dinitrotoluene	15.088	14.679	E3	2.7	195#
10 T	2,6-Dinitrotoluene	8.478	8.308	E3	2.0	201#
11 T	1,3-Dinitrobenzene	16.085	16.215	E3	-0.8	199#
12 T	Nitrobenzene	10.482	10.316	E3	1.6	200#
13 T	2-Nitrotoluene	6.605	6.614	E3	-0.1	101
14 T	3-Nitrotoluene	6.972	6.900	E3	1.0	98
15 T	4-Nitrotoluene	5.506	5.510	E3	-0.1	99
16 T	3,5-Dinitroaniline	13.895	13.391	E3	3.6	95
17 T	Nitroglycerin	57.168	0.000		100.0#	-0#
18 T	PETN	9.810	8.876	E3	9.5	39#