

Data File : H:\VOL1\HPLC\HPLC L\120928\HL003582.D Vial: 22
 Acq On : 28-Sep-2012, 18:22 Operator: HLM
 Sample : PB65981BS1 Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Oct 10 11:03 2012 Quant Results File: HL091912.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL091912.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Wed Oct 10 10:56:21 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330AGIP.M

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units
----------	------	----------	------------

System Monitoring Compounds

1) S	4-Nitroaniline	1.36	682574	183.710 ug/L
Spiked Amount	300.000	Range	37 - 149	Recovery = 61.24%

Target Compounds

2) T	HMX	0.91	497836	127.261 ug/L
3) T	RDX	1.76	712104	136.938 ug/L
4) T	1,3,5-Trinitrobenzene	2.76	1637470	134.879 ug/L
5) T	Tetryl	6.26	1008555	118.168 ug/L
6) T	2,4,6-Trinitrotoluene	6.65	1725054	153.093 ug/L
7) T	2-Amino-4,6-dinitrotoluene	7.10	1453720	133.546 ug/L
8) T	4-Amino-2,6-dinitrotoluene	7.44	1065772	154.224 ug/L
9) T	2,4-Dinitrotoluene	8.31	2069537	137.107 ug/L
10) T	2,6-Dinitrotoluene	8.69	1125505	129.306 ug/L
11) T	1,3-Dinitrobenzene	3.66	2280584	143.952 ug/L
12) T	Nitrobenzene	4.92	1405648	136.717 ug/L
13) T	2-Nitrotoluene	12.00	951532	144.289 ug/L
14) T	3-Nitrotoluene	14.06	1011696	143.052 ug/L
15) T	4-Nitrotoluene	12.79	805423	145.914 ug/L
16) T	3,5-Dinitroaniline	3.99	1850186	120.975 ug/L
18) T	PETN	19.15	1150038	118.866 ug/L m

Data File : H:\VOL1\HPLC\HPLC L\120928\HL003582.D

Vial: 22

Acq On : 28-Sep-2012, 18:22

Operator: HLM

Sample : PB65981BS1

Inst : G1314A

Misc :

Multiplr: 1.00

IntFile : events.e

Quant Time: Oct 10 11:03 2012 Quant Results File: HL091912.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL091912.M (Chemstation Integrator)

Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)

Last Update : Wed Oct 10 10:56:21 2012

Response via : Multiple Level Calibration

DataAcq Meth : 8330AGIP.M

Volume Inj. :

Signal Phase :

Signal Info :

