

Data File : H:\VOL1\HPLC\HPLC L\121025\HL003676.D
 Acq On : 25-Oct-2012, 23:01
 Sample : 8330-CCV
 Misc :
 IntFile : events.e

Vial: 2
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_L
 LabSampleId :
 8330-CCV

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL102412.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Oct 25 10:56:40 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.092	3.913 E3	4.4	0#	0.00
2 T	HMX	3.758	4.177 E3	-11.1	0#	0.00
3 T	RDX	5.382	5.679 E3	-5.5	0#	0.00
4 T	1,3,5-Trinitrobenzene	11.863	12.002 E3	-1.2	0#	0.01
5 T	Tetryl	8.516	8.472 E3	0.5	0#	0.03
6 T	2,4,6-Trinitrotoluene	11.395	11.494 E3	-0.9	0#	0.03
7 T	2-Amino-4,6-dinitrotoluene	10.842	11.310 E3	-4.3	0#	0.03
8 T	4-Amino-2,6-dinitrotoluene	7.216	7.494 E3	-3.9	0#	0.04
9 T	2,4-Dinitrotoluene	15.968	15.801 E3	1.0	0#	0.04
10 T	2,6-Dinitrotoluene	8.619	8.635 E3	-0.2	0#	0.05
11 T	1,3-Dinitrobenzene	16.546	16.893 E3	-2.1	0#	0.02
12 T	Nitrobenzene	10.702	10.676 E3	0.2	0#	0.03
13 T	2-Nitrotoluene	6.773	6.767 E3	0.1	0#	0.06
14 T	3-Nitrotoluene	7.206	7.351 E3	-2.0	0#	0.07
15 T	4-Nitrotoluene	5.816	5.832 E3	-0.3	0#	0.07
16 T	3,5-Dinitroaniline	15.701	15.970 E3	-1.7	0#	0.02
18 T	PETN	9.261	9.534 E3	-2.9	0#	0.10

Data File : H:\VOL1\HPLC\HPLC_L\121025\HL003676.D
Acq On : 25-Oct-2012, 23:01
Sample : 8330-CCV
Misc :
IntFile : events.e

Vial: 2
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_L
LabSampleId :
8330-CCV

Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Oct 25 10:56:40 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.616	0.000	100.0#	0#	-6.03#