

Data File : H:\VOL1\HPLC\HPLC_L\121109\HL003711.D
Acq On : 09-Nov-2012, 21:01
Sample : 8330NG-CCV
Misc :
IntFile : events.e

Vial: 3
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_L
LabSampleId :
8330NG-CCV

Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Thu Oct 25 10:56:40 2012
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	57.616	55.819	3.1	0#	0.00

Data File : H:\VOL1\HPLC\HPLC L\121109\HL003711.D
 Acq On : 09-Nov-2012, 21:01
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 3
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_L
 LabSampleId :
 8330NG-CCV

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL102412.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Thu Oct 25 10:56:40 2012
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	4.092	0.000 E3	100.0#	0#	-1.31#
2 T	HMX	3.758	0.000 E3	100.0#	0#	-0.88#
3 T	RDX	5.382	0.000 E3	100.0#	0#	-1.69#
4 T	1,3,5-Trinitrobenzene	11.863	0.000 E3	100.0#	0#	-2.62#
5 T	Tetryl	8.516	0.000 E3	100.0#	0#	-5.78#
6 T	2,4,6-Trinitrotoluene	11.395	0.000 E3	100.0#	0#	-6.19#
7 T	2-Amino-4,6-dinitrotoluene	10.842	0.000 E3	100.0#	0#	-6.60#
8 T	4-Amino-2,6-dinitrotoluene	7.216	0.000 E3	100.0#	0#	-6.87#
9 T	2,4-Dinitrotoluene	15.968	0.000 E3	100.0#	0#	-7.71#
10 T	2,6-Dinitrotoluene	8.619	0.000 E3	100.0#	0#	-8.05#
11 T	1,3-Dinitrobenzene	16.546	0.000 E3	100.0#	0#	-3.46#
12 T	Nitrobenzene	10.702	0.000 E3	100.0#	0#	-4.63#
13 T	2-Nitrotoluene	6.773	0.000 E3	100.0#	0#	-11.09#
14 T	3-Nitrotoluene	7.206	0.000 E3	100.0#	0#	-12.98#
15 T	4-Nitrotoluene	5.816	0.000 E3	100.0#	0#	-11.80#
16 T	3,5-Dinitroaniline	15.701	0.000 E3	100.0#	0#	-3.76#
18 T	PETN	9.261	0.000 E3	100.0#	0#	-17.59#