

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
 Data File : HL003738.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Nov-2012, 13:24
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Nov 22 04:44:50 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Nov 16 16:16:22 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.380	4076720	1021.328 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 340.44%#
Target Compounds			
2) T HMX	0.924	4354919	1074.834 ug/L
3) T RDX	1.781	6009781	1116.566 ug/L
4) T 1,3,5-Trinitrobenzene	2.793	6253259	527.109 ug/L
5) T Tetryl	6.366	8851088	1039.400 ug/L
6) T 2,4,6-Trinitrotoluene	6.750	5945048	521.735 ug/L
7) T 2-Amino-4,6-dinitroto...	7.213	5774413	532.610 ug/L
8) T 4-Amino-2,6-dinitroto...	7.560	3975963	550.985 ug/L
9) T 2,4-Dinitrotoluene	8.428	8258641	517.198 ug/L
10) T 2,6-Dinitrotoluene	8.825	4573966	530.693 ug/L
11) T 1,3-Dinitrobenzene	3.701	8918687	539.037 ug/L
12) T Nitrobenzene	4.977	5412600	505.747 ug/L
13) T 2-Nitrotoluene	12.171	6917722	1021.347 ug/L
14) T 3-Nitrotoluene	14.260	7481749	1038.278 ug/L
15) T 4-Nitrotoluene	12.959	5921047	1018.142 ug/L
16) T 3,5-Dinitroaniline	4.041	16760952	1067.501 ug/L
18) T PETN	19.435	24330017	2627.222 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
Data File : HL003738.D
Signal(s) : VWD1A.CH
Acq On : 15-Nov-2012, 13:24
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Nov 22 04:44:50 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Nov 16 16:16:22 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

