

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
 Data File : HL003741.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Nov-2012, 14:44
 Operator : HLM
 Sample : PB66272BS1
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Nov 22 04:45:06 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Nov 16 16:16:22 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.374	1157175	263.128 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 87.71%
Target Compounds			
2) T HMX	0.918	848528	215.531 ug/L
3) T RDX	1.775	1180205	219.272 ug/L
4) T 1,3,5-Trinitrobenzene	2.787	2608862	219.910 ug/L
5) T Tetryl	6.354	1525729	179.169 ug/L
6) T 2,4,6-Trinitrotoluene	6.736	2838812	249.133 ug/L
7) T 2-Amino-4,6-dinitroto...	7.202	2358336	217.524 ug/L
8) T 4-Amino-2,6-dinitroto...	7.546	1717900	238.065 ug/L
9) T 2,4-Dinitrotoluene	8.416	3413125	213.747 ug/L
10) T 2,6-Dinitrotoluene	8.811	1834004	212.790 ug/L
11) T 1,3-Dinitrobenzene	3.695	3718848	224.764 ug/L
12) T Nitrobenzene	4.969	2383850	222.744 ug/L
13) T 2-Nitrotoluene	12.156	1516251	223.863 ug/L
14) T 3-Nitrotoluene	14.246	1644965	228.280 ug/L
15) T 4-Nitrotoluene	12.947	1256769	216.105 ug/L
16) T 3,5-Dinitroaniline	4.031	2979845	189.786 ug/L
18) T PETN	19.418	1857412	200.568 ug/L m

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
Data File : HL003741.D
Signal(s) : VWD1A.CH
Acq On : 15-Nov-2012, 14:44
Operator : HLM
Sample : PB66272BS1
Misc :
ALS Vial : 22 Sample Multiplier: 1

Integration File: events.e
Quant Time: Nov 22 04:45:06 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Nov 16 16:16:22 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

