

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
 Data File : HL003751.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Nov-2012, 19:13
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Nov 22 04:45:56 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Nov 16 16:16:22 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.379	4101631	1027.798 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 342.60%#
Target Compounds			
2) T HMX	0.922	4442531	1096.305 ug/L
3) T RDX	1.781	6042745	1122.690 ug/L
4) T 1,3,5-Trinitrobenzene	2.794	6250903	526.910 ug/L
5) T Tetryl	6.374	8723295	1024.393 ug/L
6) T 2,4,6-Trinitrotoluene	6.757	5982627	525.033 ug/L
7) T 2-Amino-4,6-dinitroto...	7.223	5772409	532.425 ug/L
8) T 4-Amino-2,6-dinitroto...	7.570	3991361	553.119 ug/L
9) T 2,4-Dinitrotoluene	8.438	8283119	518.731 ug/L
10) T 2,6-Dinitrotoluene	8.835	4584682	531.937 ug/L
11) T 1,3-Dinitrobenzene	3.704	8967995	542.017 ug/L
12) T Nitrobenzene	4.981	5415351	506.004 ug/L
13) T 2-Nitrotoluene	12.185	6984602	1031.222 ug/L
14) T 3-Nitrotoluene	14.274	7587339	1052.931 ug/L
15) T 4-Nitrotoluene	12.972	6017287	1034.691 ug/L
16) T 3,5-Dinitroaniline	4.045	16872837	1074.627 ug/L
18) T PETN	19.449	24579882	2654.203 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
Data File : HL003751.D
Signal(s) : VWD1A.CH
Acq On : 15-Nov-2012, 19:13
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Nov 22 04:45:56 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Nov 16 16:16:22 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

