

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
 Data File : HL003753.D
 Signal(s) : VWD1A.CH
 Acq On : 15-Nov-2012, 20:07
 Operator : HLM
 Sample : PB66846BSD1
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Nov 22 04:46:07 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Nov 16 16:16:22 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.380	1221305	279.783 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 93.26%
Target Compounds			
2) T HMX	0.922	880553	223.380 ug/L
3) T RDX	1.781	1256636	233.472 ug/L
4) T 1,3,5-Trinitrobenzene	2.794	2755564	232.276 ug/L
5) T Tetryl	6.369	1570196	184.391 ug/L
6) T 2,4,6-Trinitrotoluene	6.753	3019034	264.949 ug/L
7) T 2-Amino-4,6-dinitroto...	7.225	2488451	229.525 ug/L
8) T 4-Amino-2,6-dinitroto...	7.569	1832963	254.010 ug/L
9) T 2,4-Dinitrotoluene	8.436	3648200	228.469 ug/L
10) T 2,6-Dinitrotoluene	8.836	2009803	233.187 ug/L
11) T 1,3-Dinitrobenzene	3.705	3928539	237.437 ug/L
12) T Nitrobenzene	4.982	2409420	225.134 ug/L
13) T 2-Nitrotoluene	12.192	1621006	239.329 ug/L
14) T 3-Nitrotoluene	14.286	1815568	251.955 ug/L
15) T 4-Nitrotoluene	12.979	1341916	230.747 ug/L
16) T 3,5-Dinitroaniline	4.043	3133122	199.548 ug/L
18) T PETN	19.469	2003703	216.365 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
Data File : HL003753.D
Signal(s) : VWD1A.CH
Acq On : 15-Nov-2012, 20:07
Operator : HLM
Sample : PB66846BSD1
Misc :
ALS Vial : 31 Sample Multiplier: 1

Integration File: events.e
Quant Time: Nov 22 04:46:07 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Nov 16 16:16:22 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

