

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
 Data File : HL003764.D
 Signal(s) : VWD1A.CH
 Acq On : 16-Nov-2012, 01:04
 Operator : HLM
 Sample : 8330-CCV
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Nov 22 04:46:59 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Nov 16 16:16:22 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.379	4147178	1039.626 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery	= 346.54%#
Target Compounds			
2) T HMX	0.922	4437972	1095.187 ug/L
3) T RDX	1.782	6103215	1133.925 ug/L
4) T 1,3,5-Trinitrobenzene	2.795	6319836	532.721 ug/L
5) T Tetryl	6.379	8812122	1034.824 ug/L
6) T 2,4,6-Trinitrotoluene	6.761	6052645	531.178 ug/L
7) T 2-Amino-4,6-dinitroto...	7.231	5839326	538.597 ug/L
8) T 4-Amino-2,6-dinitroto...	7.579	4023949	557.635 ug/L
9) T 2,4-Dinitrotoluene	8.445	8388592	525.336 ug/L
10) T 2,6-Dinitrotoluene	8.842	4623087	536.393 ug/L
11) T 1,3-Dinitrobenzene	3.705	9058247	547.472 ug/L
12) T Nitrobenzene	4.982	5454144	509.629 ug/L
13) T 2-Nitrotoluene	12.197	7023895	1037.023 ug/L
14) T 3-Nitrotoluene	14.290	7626858	1058.415 ug/L
15) T 4-Nitrotoluene	12.985	6012253	1033.825 ug/L
16) T 3,5-Dinitroaniline	4.048	17005195	1083.057 ug/L
18) T PETN	19.469	24739259	2671.413 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
Data File : HL003764.D
Signal(s) : VWD1A.CH
Acq On : 16-Nov-2012, 01:04
Operator : HLM
Sample : 8330-CCV
Misc :
ALS Vial : 2 Sample Multiplier: 1

Integration File: events.e
Quant Time: Nov 22 04:46:59 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Nov 16 16:16:22 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

