

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
 Data File : HL003768.D
 Signal(s) : VWD1A.CH
 Acq On : 16-Nov-2012, 02:52
 Operator : HLM
 Sample : D4779-06MSD1
 Misc :
 ALS Vial : 43 Sample Multiplier: 1

Integration File: events.e
 Quant Time: Nov 22 04:47:21 2012
 Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
 Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 QLast Update : Fri Nov 16 16:16:22 2012
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
1) S 4-Nitroaniline	1.381	523558	98.579 ug/L
Spiked Amount 300.000	Range 37 - 149	Recovery =	32.86%#
Target Compounds			
2) T HMX	0.925	439336	115.252 ug/L
3) T RDX	1.784	553777	102.887 ug/L
4) T 1,3,5-Trinitrobenzene	2.798	1356672	114.359 ug/L
5) T Tetryl	6.384	650883	76.434 ug/L
6) T 2,4,6-Trinitrotoluene	6.763	1472129	129.193 ug/L
7) T 2-Amino-4,6-dinitroto...	7.237	1199556	110.643 ug/L
8) T 4-Amino-2,6-dinitroto...	7.584	833958	115.569 ug/L
9) T 2,4-Dinitrotoluene	8.450	1820593	114.015 ug/L
10) T 2,6-Dinitrotoluene	8.842	974714	113.091 ug/L
11) T 1,3-Dinitrobenzene	3.709	1993924	120.511 ug/L
12) T Nitrobenzene	4.987	1230677	114.993 ug/L
13) T 2-Nitrotoluene	12.212	841821	124.288 ug/L
14) T 3-Nitrotoluene	14.311	940410	130.505 ug/L
15) T 4-Nitrotoluene	12.986	702181	120.742 ug/L
16) T 3,5-Dinitroaniline	4.049	1529243	97.397 ug/L
18) T PETN	19.511	1023202	110.488 ug/L

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : S:\HPCHEM1\HPLC_L\Data\HL111512\
Data File : HL003768.D
Signal(s) : VWD1A.CH
Acq On : 16-Nov-2012, 02:52
Operator : HLM
Sample : D4779-06MSD1
Misc :
ALS Vial : 43 Sample Multiplier: 1

Integration File: events.e
Quant Time: Nov 22 04:47:21 2012
Quant Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL102412.M
Quant Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
QLast Update : Fri Nov 16 16:16:22 2012
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. :
Signal Phase :
Signal Info :

