

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL1231A2.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Wed Jan 02 11:21:49 2013

Calibration Files

CAL1 =HL003815.D CAL2 =HL003868.D CAL3 =HL003867.D
 CAL4 =HL003859.D CAL5 =HL003866.D CAL6 =HL003865.D

	Compound	CAL1	CAL2	CAL3	CAL4	CAL5	CAL6	Avg	%RSD
1) S	4-Nitroaniline							0.000 0	-1.00
2) T	HMX							0.000 0	-1.00
3) T	RDX							0.000 0	-1.00
4) T	1,3,5-Trinitrobenze							0.000 0	-1.00
5) T	Tetryl							0.000 0	-1.00
6) T	2,4,6-Trinitrotolue							0.000 0	-1.00
7) T	2-Amino-4,6-dinitro							0.000 0	-1.00
8) T	4-Amino-2,6-dinitro							0.000 0	-1.00
9) T	2,4-Dinitrotoluene							0.000 0	-1.00
10) T	2,6-Dinitrotoluene							0.000 0	-1.00
11) T	1,3-Dinitrobenzene							0.000 0	-1.00
12) T	Nitrobenzene							0.000 0	-1.00
13) T	2-Nitrotoluene							0.000 0	-1.00
14) T	3-Nitrotoluene							0.000 0	-1.00
15) T	4-Nitrotoluene							0.000 0	-1.00
16) T	3,5-Dinitroaniline							0.000 0	-1.00
17) T	Nitroqlvcerin	5.826	5.501	5.503	5.666	5.550	5.609	E1	2.47
18) T	PETN							0.000 0	-1.00