

Data File : H:\VOL1\HPLC\HPLC L\121231\HL003936.D
 Acq On : 02-Jan-2013, 04:37
 Sample : 8330-CCV
 Misc :
 IntFile : events.e

Vial: 2
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_L
 LabSampleId :
 8330-CCV

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL123112.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Wed Jan 02 11:23:27 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	1000.000	920.358	8.0	0	0.00
2 T	HMX	1000.000	1054.774	-5.5	0	0.00
3 T	RDX	1000.000	1062.646	-6.3	0	0.00
4 T	1,3,5-Trinitrobenzene	500.000	495.091	1.0	0	0.00
5 T	Tetryl	1000.000	936.705	6.3	0	0.01
6 T	2,4,6-Trinitrotoluene	500.000	480.190	4.0	0	-0.02
7 T	2-Amino-4,6-dinitrotoluene	500.000	497.190	0.6	0	0.01
8 T	4-Amino-2,6-dinitrotoluene	500.000	511.499	-2.3	0	0.01
9 T	2,4-Dinitrotoluene	500.000	507.635	-1.5	0	-0.02
10 T	2,6-Dinitrotoluene	500.000	504.795	-1.0	0	-0.02
11 T	1,3-Dinitrobenzene	500.000	501.391	-0.3	0	0.00
12 T	Nitrobenzene	500.000	505.093	-1.0	0	-0.02
13 T	2-Nitrotoluene	1000.000	1016.753	-1.7	0	-0.05
14 T	3-Nitrotoluene	1000.000	1058.092	-5.8	0	-0.06
15 T	4-Nitrotoluene	1000.000	1044.565	-4.5	0	-0.06
16 T	3,5-Dinitroaniline	1000.000	1013.698	-1.4	0	0.00
18 T	PETN	2500.000	2491.811	0.3	0	0.04

Data File : H:\VOL1\HPLC\HPLC_L\121231\HL003936.D
Acq On : 02-Jan-2013, 04:37
Sample : 8330-CCV
Misc :
IntFile : events.e

Vial: 2
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_L
LabSampleId :
8330-CCV

Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL123112.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Wed Jan 02 11:23:27 2013
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	10000.000	0.000	100.0#	0	-6.11#