

Data File : H:\VOL1\HPLC\HPLC_L\121231\HL003937.D
Acq On : 02-Jan-2013, 05:04
Sample : 8330NG-CCV
Misc :
IntFile : events.e

Vial: 3
Operator: HLM
Inst : G1314A
Multiplr: 1.00

Instrument :
HPLC_L
LabSampleId :
8330NG-CCV

Method : H:\VOL1\HPLC\HPLC_L\METHODS\HL123112.M (Chemstation Integrator)
Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
Last Update : Wed Jan 02 11:23:27 2013
Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
17 T	Nitroglycerin	56.090	57.372	-2.3	0#	0.02

Data File : H:\VOL1\HPLC\HPLC L\121231\HL003937.D
 Acq On : 02-Jan-2013, 05:04
 Sample : 8330NG-CCV
 Misc :
 IntFile : events.e

Vial: 3
 Operator: HLM
 Inst : G1314A
 Multiplr: 1.00

Instrument :
 HPLC_L
 LabSampleId :
 8330NG-CCV

Method : H:\VOL1\HPLC\HPLC L\METHODS\HL123112.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Wed Jan 02 11:23:27 2013
 Response via : Multiple Level Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 15% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 S	4-Nitroaniline	3.888	0.000 E3	100.0#	0#	-1.35#
2 T	HMX	6.714	0.000 E3	100.0#	0#	-0.91#
3 T	RDX	5.424	0.000 E3	100.0#	0#	-1.75#
4 T	1,3,5-Trinitrobenzene	11.848	0.000 E3	100.0#	0#	-2.73#
5 T	Tetryl	8.918	0.000 E3	100.0#	0#	-6.16#
6 T	2,4,6-Trinitrotoluene	11.718	0.000 E3	100.0#	0#	-6.56#
7 T	2-Amino-4,6-dinitrotoluene	11.279	0.000 E3	100.0#	0#	-7.00#
8 T	4-Amino-2,6-dinitrotoluene	7.320	0.000 E3	100.0#	0#	-7.33#
9 T	2,4-Dinitrotoluene	15.582	0.000 E3	100.0#	0#	-8.18#
10 T	2,6-Dinitrotoluene	8.657	0.000 E3	100.0#	0#	-8.56#
11 T	1,3-Dinitrobenzene	16.931	0.000 E3	100.0#	0#	-3.61#
12 T	Nitrobenzene	10.739	0.000 E3	100.0#	0#	-4.86#
13 T	2-Nitrotoluene	6.623	0.000 E3	100.0#	0#	-11.81#
14 T	3-Nitrotoluene	7.112	0.000 E3	100.0#	0#	-13.83#
15 T	4-Nitrotoluene	5.487	0.000 E3	100.0#	0#	-12.57#
16 T	3,5-Dinitroaniline	15.929	0.000 E3	100.0#	0#	-3.94#
18 T	PETN	9.175	0.000 E3	100.0#	0#	-18.79#