

Data File : H:\VOL1\HPLC\HPLC L\120227\HL002015.D Vial: 14
 Acq On : 27-Feb-2012, 20:22 Operator: HLM
 Sample : 8330-ICV Inst : G1314A
 Misc : Multiplr: 1.00
 IntFile : events.e
 Quant Time: Feb 28 14:16 2012 Quant Results File: HL022712.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL022712.M (Chemstation Integrator)
 Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)
 Last Update : Tue Feb 28 14:18:34 2012
 Response via : Initial Calibration
 DataAcq Meth : 8330AGIP.M

Volume Inj. :
 Signal Phase :
 Signal Info :

Compound	R.T.	Response	Conc	Units

System Monitoring Compounds				
Target Compounds				
2) T HMX	0.92	4020551	1017.320	uq/L
3) T RDX	1.77	5589053	1060.378	uq/L
4) T 1,3,5-Trinitrobenzene	2.76f	12472878	1023.213	uq/L
5) T Tetrvl	6.28f	9571819	1102.825	uq/L
6) T 2,4,6-Trinitrotoluene	6.66f	12331827	1093.096	uq/L
7) T 2-Amino-4,6-dinitrotoluene	7.15f	11265836	1043.512	uq/L
8) T 4-Amino-2,6-dinitrotoluene	7.49f	7650641	1012.619	uq/L
9) T 2,4-Dinitrotoluene	8.34f	15598673	958.169	uq/L
10) T 2,6-Dinitrotoluene	8.73f	8611513	972.800	uq/L
11) T 1,3-Dinitrobenzene	3.68f	17049786	1011.540	uq/L
12) T Nitrobenzene	4.95f	10557693	985.016	uq/L
13) T 2-Nitrotoluene	12.06f	6832271	996.188	uq/L
14) T 3-Nitrotoluene	14.12f	7088875	973.331	uq/L
15) T 4-Nitrotoluene	12.83f	5672677	1013.247	uq/L
16) T 3,5-Dinitroaniline	4.01f	14019442	871.192	uq/L
18) T PETN	18.97	9200725	966.063	ug/L

Data File : H:\VOL1\HPLC\HPLC L\120227\HL002015.D

Vial: 14

Acq On : 27-Feb-2012, 20:22

Operator: HLM

Sample : 8330-ICV

Inst : G1314A

Misc :

Multiplr: 1.00

IntFile : events.e

Quant Time: Feb 28 14:16 2012 Quant Results File: HL022712.RES

Quant Method : H:\VOL1\HPLC\HPLC L\METHODS\HL022712.M (Chemstation Integrator)

Title : SW8330A/B Primary (Extend C18 3.5u 4.6x10mm)

Last Update : Tue Feb 28 14:18:34 2012


Response via : Multiple Level Calibration


DataAcq Meth : 8330AGIP.M

Volume Inj. :

Signal Phase :


Signal Info :






#2 HMX

R.T.: 0.922 min
Delta R.T.: -0.006 min
Response: 4020551
Conc: 1017.32 ug/L




#3 RDX

R.T.: 1.773 min
Delta R.T.: -0.010 min
Response: 5589053
Conc: 1060.38 ug/L




#4 1,3,5-Trinitrobenzene

R.T.: 2.765 min
Delta R.T.: -0.015 min
Response: 12472878
Conc: 1023.21 ug/L




#5 Tetryl

R.T.: 6.277 min
Delta R.T.: -0.032 min
Response: 9571819
Conc: 1102.83 ug/L




#6 2,4,6-Trinitrotoluene

R.T.: 6.658 min
Delta R.T.: -0.034 min
Response: 12331827
Conc: 1093.10 ug/L




#7 2-Amino-4,6-dinitrotoluene

R.T.: 7.150 min
Delta R.T.: -0.037 min
Response: 11265836
Conc: 1043.51 ug/L




#8 4-Amino-2,6-dinitrotoluene

R.T.: 7.488 min
Delta R.T.: -0.039 min
Response: 7650641
Conc: 1012.62 ug/L




#9 2,4-Dinitrotoluene

R.T.: 8.342 min
Delta R.T.: -0.044 min
Response: 15598673
Conc: 958.17 ug/L




#10 2,6-Dinitrotoluene

R.T.: 8.731 min
Delta R.T.: -0.046 min
Response: 8611513
Conc: 972.80 ug/L




#11 1,3-Dinitrobenzene

R.T.: 3.677 min
Delta R.T.: -0.020 min
Response: 17049786
Conc: 1011.54 ug/L




#12 Nitrobenzene

R.T.: 4.947 min
Delta R.T.: -0.027 min
Response: 10557693
Conc: 985.02 ug/L




#13 2-Nitrotoluene

R.T.: 12.058 min
Delta R.T.: -0.061 min
Response: 6832271
Conc: 996.19 ug/L




#14 3-Nitrotoluene

R.T.: 14.124 min
Delta R.T.: -0.073 min
Response: 7088875
Conc: 973.33 ug/L




#15 4-Nitrotoluene

R.T.: 12.829 min
Delta R.T.: -0.070 min
Response: 5672677
Conc: 1013.25 ug/L



#16 3,5-Dinitroaniline

R.T.: 4.014 min
Delta R.T.: -0.024 min
Response: 14019442
Conc: 871.19 ug/L



#18 PETN

R.T.: 18.970 min
Delta R.T.: -0.099 min
Response: 9200725
Conc: 966.06 ug/L